Message

From: Cliff Pate [/O=INGLEWOOD/OU=EXCHANGE ADMINISTRATIVE GROUP

(FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=AE3720DE8C8E4C2BAD18892932E737E8-CLIFF PATE]

Sent: 2/26/2020 10:37:23 AM

To: Louis Atwell [/o=Inglewood/ou=Exchange Administrative Group

(FYDIBOHF23SPDLT)/cn=Recipients/cn=426f25fc3ed241e89930f3d92517e5b6-Louis Atwell]; Mindala Wilcox

[/o=Inglewood/ou=Exchange Administrative Group

(FYDIBOHF23SPDLT)/cn=Recipients/cn=b46bfd8a1e12482fb4f973bea21d23c4-Mindala Wilcox)

CC: Christopher E. Jackson [/o=Inglewood/ou=Exchange Administrative Group

(FYDIBOHF23SPDLT)/cn=Recipients/cn=d28bfd2b0f274cd8af3119a3b715d010-Christopher E.]

Subject: RE: IBEC: City Yard Alternative

Monday works for me.

Cliff

From: Louis Atwell

Sent: Tuesday, February 25, 2020 1:14 PM

To: Mindala Wilcox <mwilcox@cityofinglewood.org>; Cliff Pate <cpate@cityofinglewood.org>

Cc: Christopher E. Jackson <cejackson@cityofinglewood.org>

Subject: RE: IBEC: City Yard Alternative

Sorry I don't, however, Cliff Pate may have the time. He's been briefed.

From: Mindala Wilcox

Sent: Tuesday, February 25, 2020 12:59 PM
To: Louis Atwell latwell@cityofinglewood.org

Cc: Christopher E. Jackson < cejackson@cityofinglewood.org>

Subject: IBEC: City Yard Alternative

Hi Louis,

As you know, the City Yard was included as an alternative in the IBEC EIR. Our CEQA consultant has a few questions related to facilities that are currently housed at the City Yard (e.g. fueling station, vehicle repair facilities, etc.). Do you have availability on Monday, March 2 from 1-2pm for a 15-30 minute conference call on this or is there someone else we should speak with? Thanks.

Respectfully,

Mindy Wilcox, AICP: Planning Manager: City of Inglewood

Economic and Community Development Department Planning Division : One Manchester Boulevard : Inglewood, CA 90301

V(310) 412-5230: mwilcox@cityofinglewood.org

EXCELLENCE in Public Service. **C**OMMITMENT to Problem Solving. **D**ETERMINATION to Succeed.



PLEASE CONSIDER THE ENVIRONMENT BEFORE PRINTING THIS EMAIL.