Home (../../home) / Rules & Compliance (../../rules-compliance) / CEQA (../ceqa) / Air Quality Modeling



The following models are available to assist the CEQA practitioner in calculating impact to air quality. The following links will take you directly to these models located on other websites.

 NEW! California Emission Estimator Model (CalEEMod) (/caleemod) CalEEMod is a statewide land use emissions computer model designed to provide a uniform platform for government agencies, land use planners, and environmental professionals to quantify potential criteria pollutant and greenhouse gas (GHG) emissions associated with both construction and operational from a variety of land use projects.

NOTE: Emissions calculated using URBEMIS are now outdated and SCAQMD staff recommends all projects now evaluate emissions with CalEEMod if they use software for their analysis.

 Transportation and Land Use Programs Computer Model (URBEMIS 2007 v.9.2.4) (/home/rules-compliance/ceqa/urbemis) The latest URBEMIS 2007 model (version 9.2.4, February 2008) estimates air pollution emissions from a wide variety of land use projects.

NOTE: An error has been identified associated with the fugitive dust construction mitigation measures for PM. Therefore, the only mitigation measures acceptable for use are either watering OR chemical suppressants.

• California Line Source Dispersion Model (CALINE-4) (http://www.dot.ca.gov/hq/env /air/index.htm) CALINE-4 is a dispersion model for predicting air pollutant levels near highways and arterial streets.

- Industrial Source Complex Short Term (ISCST3) Model (http://www.epa.gov /scram001/dispersion\_alt.htm#isc3)
   ISCST3 is widely used to assess pollution concentration on receptors from a wide variety of sources, commonly from industrial sources, and was designed to support the EPA's regulatory modeling options.
- Roadway Construction Emissions Model (version 5.1) (http://www.airquality.org /LandUseTransportation/Documents /RoadConstructionEmissionsModelVer8\_1\_0\_locked\_05262016.xls)
   Roadway construction emissions model, developed by the Sacramento Metropolitan AQMD, can be used to assist roadway project proponents with determining the emission impacts of their projects (listed under "Mitigating Air Quality Impacts" heading).
- Hotspots Analysis and Reporting Program (HARP) (http://www.arb.ca.gov/toxics /harp/harp.htm)

HARP is is a computer software tool that that combines emission inventory database, facility prioritization calculation, air dispersion modeling, and risk assessment analysis to assist with the programmatic requirements of the Air Toxics "Hot Spots" Program.

- Environmental Protection Agency (EPA)'s Air Quality Models (http://www.epa.gov /epahome/models.htm)
- California Air Resources Board (CARB)'s Air Quality Models (https://www.arb.ca.gov /airways/models/models.htm)

## **Related Topics**

CEQA Home (/home/rules-compliance/ceqa)CEQA Documents (/home/rules-compliance/ceqa/lead-agency-documents)CEQA Notices
(/nav/about/public-notices/ceqa-notices)CEQA Permit Forms (/home/rules-compliance
/ceqa/ceqa-permit-forms)

## **More Information**

CalEEmod Inquiries email: inquiry@caleemod.com

## **Newsletter Sign Up**

Periodic newsletter updates via Email on a variety of air qualityrelated topics

Enter your email address here

SUBMIT



South Coast Air Quality Management District

21865 Copley Dr, Diamond Bar, CA 91765

909-396-2000

© 2019 South Coast Air Quality Management District

Careers (/careers) Accessibility (/accessibility) Sitemap (/sitemap) Privacy Policy (/privacy)

Questions/Need Info? (mailto:webinquiry@aqmd.gov)

Report Website Problem (mailto:webeditor@aqmd.gov)