


A: SAWCUT JOINT




C: EXPANSION JOINT

LEGEND

- . PAVING FINISH SURFACE
- LANDSCAPE ARCHITECT. SUBMIT COLOR SAMPLES PRIOR TO INSTALLATION. . BACKER ROD 18" #4 REBAR W/ SPEED
- SAWCUT 1/4" R @ EDGES TYP. PREMOLDED EJ FILLER JOINT SEALANT/CAULK, COLOR TO BE SELECTED BY
- DOWEL' @36" OC, CENTER IN CONC. AT COLD JOINTS & EJ'S
- 8. #4 REBAR DOWEL 18" LONG @ 24 O.C. W/ SPEED DOWEL SLEEVE
 - 9. CAST-IN-PLACE CONCRETE -SEE PLANS FOR COLOR AND
 - FINISH


 10. #4 REBAR @ 18" O.C. EACH
 WAY, PLACE IN MIDDLE OF
 SLAB, TYP.

 11. STRUCTURAL SLAB,
- CONCRETE JOINTS
- $(12)\frac{\text{CONOR}}{\text{SCALE: NTS}}$
 - 1. PRECAST CONCRETE PAVER. SEE PAVING SCHEDULE.
 - 2. 8"X2" MORTARLESS PLASTIC SPACER AT EACH PAVER CORNER. AVAILABLE THRU STEPSTONE, INC. (310.327.7474) OR APPROVED EQUAL INSTALL PER MANUFACTURES RECOMMENDATIONS.
 - 3.1/4" WASHED CRUSHED AGGREGATE BASE, CONSOLIDATE IN PLACE WITH VIBRATORY EQUIPMENT
 - 4.1/4" MAX. GRAVEL FILLED JOINT
 - 5. VERTICAL SURFACE, TYP.
 - 6. STRUCTURAL SLAB PER STRUCTURAL ENGINEER
- 7. WATERPROOFING PER WATERPROOFING CONSULTANT 8. FINISH SURFACE



FIELD PATTERN SHALL BE SET PER CONSTRUCTION PLAN LAYOUT

CONCRETE PAVER ON AGGREGATE BASE (11) SCALE: NTS




LEGEND


- 1. FINISH GRADE
- 1/4" RAD.I AT ALL EXPOSED EDGES
- 74 ANDIAL 3" THICK CONCRETE PAVING FINISH / COLOR PER PLAN #3 REBAR @ 18" O.C. BOTH WAYS, 3,000 PSI
- DOWEL SEE JOINTS DETAIL

CONCRETE PAVING

- 8. WATER PROOFING BY GENERAL CONTRACTOR, PER SEPERATE SUBMITTAL



B: TOOLED JOINT



- SEE STRUCTURAL PLANS
 12. 1/4" FOAM JOINT FILLER 13. WATERPROOFING/DRAINAGE LAYER, SEE ARCH PLANS

POT. WATERPROOF PRIOR TO BACKFILLING.


2. FINISH GRADE. 3. ROOTBALL.

BACKFILL MIX.

PLANTING POT DETAIL SCALE: NTS

SOIL SEPARATOR CLOTH, ADHERE TO

SIDES OF POT (PRIOR TO BACKFILLING) WITH SILICON SEAL.



LEGEND

- ROOTBALL PLANTING SOIL. SEE SPECIFICATIONS PLANT FERTILIZER TABLETS. SEE SPECIFICATIONS.
- TOPPING SLAB, SEE ARCH DWGS WATERING BASIN
- STRUCTURAL SLAB. SEE STRUCTURE DWGS PLANTER WALL, SEE ARCH DWGS. PLANTER DRAIN ASSEMBLY: 4" DIA.
- PIPE WRAPPED IN DRAINAGE SOCK WITH REMOVABLE THREADED P.V.C. CAP WITH (3) 1/4" HOLES DRILLED THROUGH, SEE SPECIFICATION WATER PROOFING, SEE ARCH DWGS PLANTER DRAINAGE,

REMOVABLE THREADED P.V.C. CAP WITH (3) 1/4" HOLES DRILLED THROUGH,

SEE SPECIFICATION

9. WATER PROOFING, SEE ARCH PLAN.

10. PLANTER DRAINAGE, SEE PLUMBING PLAN.

3/8" CRUSHED ROCK, SEE SPECIFICATION

3" LAYER DRAINAGE ROCK, PER SPECIFICATIONS

SWB (877) 792.7625

DRAIN HOLES CENTERED OVER SLAB


DRAIN

SEE PLAN FOR POT HEIGHT AND DIAMETER.

DRAIN, SEE PLUMBING PLAN


THICK LAYER OF MULCH, 1*-2* MEXICAN
BEACH BLACK PEBBLES. AVAILABLE AT

- SEE PLUMBING DWGS 11. 3/8" CRUSHED ROCK,
- SEE SPECIFICATION
 12. 3" THICK LAYER OF MULCH, SEE SPECS 13. FILTER FABRIC
- PERFORATED P.V.C. RIGID DRAINAGE TREE OVER STRUCTURE SCALE: NTS




LEGEND

- ROOTBALL
 PLANTING SOIL, SEE SPECIFICATIONS
- PLANT FERTILIZER TABLETS. SEE SPECIFICATIONS.
- TOPPING SLAB, SEE ARCH DWGS
- WATERING BASIN 11. 3/8" CRUSHED ROCK, SEE SI STRUCTURAL SLAB, SEE STRUCTURE DWGS 12. 3" THICK LAYER OF MULCH
- PLANTER WALL, SEE ARCH DWGS PLANTER DRAIN ASSEMBLY: 4" DIA. PERFORATED P.V.C. RIGID DRAINAGE PIPE WRAPPED IN DRAINAGE SOCK WITH
- SHRUB PLANTING OVER STRUCTURE



C.I.P CONCRETE SEATING WALL WITH IPE BENCH




5/8-11 UNC X 4" LONG THREADED RODS WITH THREAD PATCH INCLUDED. REFER TO INSTALLATION GUIDE FOR MORE DETAILS CONFIDENTIAL DRAWING INFORMATION CONTAINED HEREIN IS THE PROPERTY OF LANDSCAPE FORMS, INC.

INTENDED USE IS LIMITED TO DESIGN PROFESSIONALS SPECIFYING LANDSCAPE FORMS, INC. PRODUCTS AND THEIR DIRECT CLIENTS. DRAWING IS NOT TO BE COPIED OR DISCLOSED TO OTHERS WITHOUT THE CONSENT OF LANDSCAPE FORMS, INC.

© 2013 LANDSCAPE FORMS, INC. ALL RIGHTS RESERVED.

\ BIKE RACK DETAIL




LEGEND

- WATERPROOFING, SEE ARCH DWGS
- 6" CMU WALL, SEE STRUCTURAL DWG 2" CMU WALL CAP %" CRUSHED ROCK DRAINAGE, SEE PLUMBING PLAN PLANTING SOIL, SEE SPECIFICATION
- TOPPING SLAB, SLOPE TO DRAIN FILTER FABRIC, SEE SPECIFICATIONS STRUCTURAL SLAB, SEE STRUCTURAL PLAN

. TOPPING SLAB / PAVERS


11. 3° LAYER OF MULCH, SEE PLAN/SPECS 12. WEED CONTROL FABRIC, SEE SPECS

STORMWATER PLANTER



LEGEND

- CMU WALL, STUCCO
- CMU PRECISION CAP FINISH GRADE, SEE ARCH DWGS
- **EXPANSION JOINT** CONCRETE SLAB ADJACENT SEE ARCH DWGS
- SEE ARCH DWGS STRUCTURAL SLAB, SEE STRUCTURAL DWGS DOWEL AND REINFORCEMENT AS REQUIRED, SEE STRUCTURAL DWGS
- FREESTANDING CMU WALL ON STRUCTURE



EXPANSION JOINT STRUCTURAL SLAB,

TOPPING SLAB PAVERS ADJACENT


FS/DRAINAGE, SEE CIVIL PLAN

WALL, SEE SPECIFICATIONS

12. EXPANSION JOINT
13. 3" MULCH, SEE PLAN/SPECS

11. CAST IN PLACE CONCRETE PLANTER

- WATERPROOFING, SEE ARCH DWGS 6" CMU WALL,SEE STRUCTURAL DWG 2" CMU WALL CAP 3/8" CRUSHED ROCK
- SEE STRUCTURE PLAN TOPPING SLAB /PAVERS DRAINAGE, SEE PLUMBING PLAN PLANTING SOIL, SEE SPECIFICATION FS/DRAINAGE, SEE ARCH PLAN 3" LAYER OF MULCH, SEE PLAN/ SPECS FILTER FABRIC, SEE SPECIFICATIONS
- CMU PLANTER ON STRUCTURE



LEGEND

- WATERPROOFING, SEE ARCH PLAN STRUCTURAL & REINFORCEMENT, SEE STRUCTURAL DWG
- 3/8" CRUSHED ROCK DRAINAGE, SEE PLUMBING PLAN PLANTING SOIL, SEE SPECIFICATION TOPPING SLAB, SLOPE TO DRAIN
- FILTER FABRIC, SEE SPECIFICATIONS STRUCTURAL SLAB, SEE STRUCTURE
- CIP PLANTER ON STRUCTURE









HOLLYWOOD PARK RESIDENTIAL - MU-20 INGLEWOOD, CALIFORNIA

ICTION CONSTR

THIS SET OF CONSTRUCTION DOCUMENTS HAS BEEN PREPARED FOR THE

PLOT PLAN RESUBMITTAL ISSUED AS 06-21-2018