


HOLLYWOOD PARK RETAIL

WILSON MEANY

PLOT PLAN SUBMITTAL

2018.08.14



City of Inglewood - Planning Division
Preliminary Review Only
This stamp is for preliminary review only and does not constitute final approval. Final preliminary approval will be issued at the issuance of a building permit.
Project: MU-1, MU-2, MU-3A
Date: 8/14/18
Prepared by: [Signature]

Final approval for MU-1, MU-2, MU-3A for related component. This stamp is a preliminary stamp approval and does not constitute final preliminary approval. Final preliminary approval will be issued at the issuance of a building permit. Must have all agency approvals; i.e., CEQA, Public Works, etc. for Program not part of approval. Agency approval.

PROJECT DIRECTORY

OWNER KROENKE GROUP 11000 Wilshire Blvd Los Angeles, CA 90025	DESIGN ARCHITECT WILSON MEANY 11000 Wilshire Blvd Los Angeles, CA 90025	CIVIL KROENKE GROUP 11000 Wilshire Blvd Los Angeles, CA 90025	DRY UTILITY KROENKE GROUP 11000 Wilshire Blvd Los Angeles, CA 90025	STRUCTURAL KROENKE GROUP 11000 Wilshire Blvd Los Angeles, CA 90025	LOW VOLTAGE/ SECURITY/ AV KROENKE GROUP 11000 Wilshire Blvd Los Angeles, CA 90025	SIGNAGE KROENKE GROUP 11000 Wilshire Blvd Los Angeles, CA 90025	CODE CONSULTANT KROENKE GROUP 11000 Wilshire Blvd Los Angeles, CA 90025	ACOUSTIC ENGINEER KROENKE GROUP 11000 Wilshire Blvd Los Angeles, CA 90025
CLIENT KROENKE GROUP 11000 Wilshire Blvd Los Angeles, CA 90025	ARCHITECT OF RECORD WILSON MEANY 11000 Wilshire Blvd Los Angeles, CA 90025	LANDSCAPE KROENKE GROUP 11000 Wilshire Blvd Los Angeles, CA 90025	PRECON & COST CONSULTANT KROENKE GROUP 11000 Wilshire Blvd Los Angeles, CA 90025	MEP KROENKE GROUP 11000 Wilshire Blvd Los Angeles, CA 90025	DECORATIVE LIGHTING KROENKE GROUP 11000 Wilshire Blvd Los Angeles, CA 90025	PARKING KROENKE GROUP 11000 Wilshire Blvd Los Angeles, CA 90025	SENSORY INTERACTIVE KROENKE GROUP 11000 Wilshire Blvd Los Angeles, CA 90025	TRASH KROENKE GROUP 11000 Wilshire Blvd Los Angeles, CA 90025

BCV
MLA
WILSON MEANY
THE KROENKE GROUP

HOLLYWOOD PARK RETAIL
INGLEWOOD, CA
BCV ARCHITECTS

NO. 001	COVER SHEET
NO. 002	
NO. 003	
NO. 004	
NO. 005	
NO. 006	
NO. 007	
NO. 008	
NO. 009	
NO. 010	
NO. 011	
NO. 012	
NO. 013	
NO. 014	
NO. 015	
NO. 016	
NO. 017	
NO. 018	
NO. 019	
NO. 020	
NO. 021	
NO. 022	
NO. 023	
NO. 024	
NO. 025	
NO. 026	
NO. 027	
NO. 028	
NO. 029	
NO. 030	
NO. 031	
NO. 032	
NO. 033	
NO. 034	
NO. 035	
NO. 036	
NO. 037	
NO. 038	
NO. 039	
NO. 040	
NO. 041	
NO. 042	
NO. 043	
NO. 044	
NO. 045	
NO. 046	
NO. 047	
NO. 048	
NO. 049	
NO. 050	
NO. 051	
NO. 052	
NO. 053	
NO. 054	
NO. 055	
NO. 056	
NO. 057	
NO. 058	
NO. 059	
NO. 060	
NO. 061	
NO. 062	
NO. 063	
NO. 064	
NO. 065	
NO. 066	
NO. 067	
NO. 068	
NO. 069	
NO. 070	
NO. 071	
NO. 072	
NO. 073	
NO. 074	
NO. 075	
NO. 076	
NO. 077	
NO. 078	
NO. 079	
NO. 080	
NO. 081	
NO. 082	
NO. 083	
NO. 084	
NO. 085	
NO. 086	
NO. 087	
NO. 088	
NO. 089	
NO. 090	
NO. 091	
NO. 092	
NO. 093	
NO. 094	
NO. 095	
NO. 096	
NO. 097	
NO. 098	
NO. 099	
NO. 100	

0
GO.00

MASTER PLAN
HOLLYWOOD PARK

08/14/18 11:28:10 AM

8/13/2018 9:50:00 AM


COPYRIGHT © 2015 BALDAUF CATTON VON ECKARTSBERG ARCHITECTS
ALL RIGHTS RESERVED

PRAIRIE AVE

PRAIRIE AVE

CENTURY BLVD

CENTURY BLVD



LEGEND

- PROJECT LIMITS --- PROJECT LIMITS
- CONSTRUCTION LIMITS --- CONSTRUCTION LIMITS

CONSTRUCTION NOTES:

- 1 6" CONCRETE CURB ONLY
- 2 6" CONCRETE CURB AND 18" GUTTER
- 3 6" DRIVEABLE/ROLLED CONCRETE CURB
- 4 RETAINING WALL, H = 6" MAX.
- 5 DECORATIVE CONCRETE PAVEMENT PER LANDSCAPE PLANS
- 6 DECORATIVE PAVEMENT PER LANDSCAPE PLANS
- 7 AC PAVEMENT TO BE REMOVED AND REPLACED WITH DECORATIVE PAVEMENT TO MATCH LAKE STREET PROMENADE. REFER TO LANDSCAPE PLAN.
- 8 SITE STAIRS, 6" CONCRETE RISERS. REFER TO LANDSCAPE PLANS FOR DETAILS
- 9 AC PAVEMENT, 4" AC OVER 7" AB. LIGHT VEHICULAR LOADING.
- 10 AC PAVEMENT, 5" AC OVER 8" AB. HEAVY VEHICULAR LOADING
- 11 CONCRETE PAVEMENT/SIDEWALK, 4" P.C.C. OVER 6" AB. PEDESTRIAN TRAFFIC LOADING
- 12 PAD TO BE ROUGH GRADED TO SPECIFICATIONS MADE BY GEOTECHNICAL ENGINEER
- 13 SIDEWALK TO BE MODIFIED WHERE NECESSARY TO MAINTAIN ADA ACCESSIBILITY. TO BE PROTECTED IN PLACE ELSEWHERE.

BCV

MLA

D&D

WILSON MEANY

THE KROENKE GROUP

HOLLYWOOD PARK RETAIL

INGLEWOOD, CA

BCV ARCHITECTS


#	DATE	DESCRIPTION
1	9.27.2017	PRICING / 80% SD
2	12.28.2017	100% SCHEMATIC DESIGN
3	03.02.2018	PHASE 1 - 50% DD
4	08.20.2018	PHASE 1 - PRICING / 100% CONCEPT
5	07.13.2018	PHASE 1 - PRICING / 95% SD
6	07.25.2018	PHASE 1 - 100% SD
7	08.14.2018	PLOT PLAN SUBMITTAL


PHASE 1
GRADING PLAN

NOT FOR CONSTRUCTION

C 2.00

HOLLYWOOD PARK 16037





BCV

ML/A

MEASUREMENTS IN FEET AND INCHES
1/8" = 1'-0" (VERTICAL)
1/4" = 1'-0" (HORIZONTAL)

**WILSON
MEANY**

**THE
KROENKE
GROUP**

HOLLYWOOD PARK RETAIL

INGLEWOOD, CA

BCV ARCHITECTS


#	DATE	DESCRIPTION
1	09.27.17	PRICING/80% SD
2	12.28.17	100% SCHEMATIC DESIGN
3	03.02.18	PHASE 1 - 50% DD
4	04.20.18	PHASE 1 - PRICING/100% CONCEPT
5	07.13.18	PHASE 1 - 95% SD
6	07.25.18	PHASE 1 - 100% SD
7	08.14.18	PILOT PLAN SUBMITTAL

**OVERALL
SITE PLAN**

NOT FOR CONSTRUCTION

L002

HOLLYWOOD PARK



GROSS AREA CALCULATIONS

RETAIL BUILDINGS

BLDG 100	
FLOOR 1	
IN-LINE	5,451 SF
CINEMA	55,545 SF
COMMON CORRIDOR	1,007 SF
ELECTRICAL	244 SF
RISER ROOMS	51 SF
AV	84 SF
BLDG 100 TOTAL	62,382 SF
BLDG 200	
FLOOR 1	
ANCHOR	14,418 SF
RESTAURANT	6,255 SF
RISER ROOMS	43 SF
ELECTRICAL	280 SF
FLOOR 2	
ANCHOR	13,807 SF
ELEVATOR	87 SF
STAIRS	626 SF
BLDG 200 TOTAL	35,515 SF
BLDG 300	
FLOOR 1	
RESTAURANT	5,168 SF
QUICK FOOD	4,454 SF
IN-LINE	7,958 SF
COMMON CORRIDOR	1,720 SF
ELECTRICAL	520 SF
BLDG 300 TOTAL	19,819 SF
BLDG 400	
FLOOR 1	
GROCERY	17,980 SF
ELECTRICAL	189 SF
RISER ROOMS	43 SF
BLDG 400 TOTAL	18,211 SF
BLDG 500	
FLOOR 1	
ANCHOR	20,971 SF
COMMON CORRIDOR	861 SF
ELECTRICAL	235 SF
RISER ROOMS	72 SF
BLDG 500 TOTAL	22,139 SF
BLDG 600	
FLOOR 1	
RESTAURANT	3,968 SF
RESTROOMS	434 SF
ELECTRICAL	140 SF
RISER ROOMS	52 SF
BLDG 600 TOTAL	4,594 SF
BLDG 700	
FLOOR 1	
IN-LINE	10,039 SF
QUICK FOOD	4,601 SF
ELECTRICAL	290 SF
AV	100 SF
COMMON CORRIDOR	1,386 SF
BLDG 700 TOTAL	16,416 SF
BLDG 800	
FLOOR 1	
IN-LINE	11,010 SF
ELECTRICAL	221 SF
AV	100 SF
RISER ROOMS	43 SF
FLOOR 2	
IN-LINE	10,677 SF
ELEVATOR	85 SF
STAIRS	484 SF
PATIO	308 SF
BLDG 800 TOTAL	22,927 SF
BLDG 900	
FLOOR 1	
IN-LINE	13,293 SF
RESTAURANT	6,294 SF
QUICK FOOD	5,032 SF
COMMON CORRIDOR	1,219 SF
AV	100 SF
ELECTRICAL	255 SF

RISER ROOMS	112 SF
RESTROOMS	683 SF
LOBBY	913 SF
FLOOR 2	
RESTAURANT	5,758 SF
STAIRS	757 SF
ELEVATOR	84 SF
BLDG 900 TOTAL	34,499 SF
BLDG 1000	
FLOOR 1	
IN-LINE	6,625 SF
QUICK FOOD	3,131 SF
ELECTRICAL	200 SF
RISER ROOMS	43 SF
BLDG 1000 TOTAL	9,999 SF
BLDG 1100	
FLOOR 1	
IN-LINE	7,864 SF
QUICK FOOD	3,586 SF
ELECTRICAL	242 SF
RISER ROOMS	49 SF
BLDG 1100 TOTAL	11,741 SF
BLDG 1200	
FLOOR 1	
QUICK FOOD	5,200 SF
IN-LINE	4,246 SF
ELECTRICAL	216 SF
RISER ROOMS	43 SF
BLDG 1200 TOTAL	9,704 SF
BLDG 1300	
FLOOR 1	
IN-LINE	12,411 SF
QUICK FOOD	8,228 SF
RESTROOMS	258 SF
LOBBY	553 SF
ELECTRICAL	250 SF
RISER ROOMS	43 SF
FLOOR 2	
IN-LINE	20,931 SF
STAIRS	427 SF
ELEVATOR	70 SF
LOBBY	314 SF
BLDG 1300 TOTAL	43,485 SF
BLDG 1400	
FLOOR 1	
RESTAURANT	5,47 SF
RESTAURANT	4,571 SF
BAR	2,675 SF
ELECTRICAL	178 SF
RISER ROOMS	55 SF
FLOOR 2	
RESTAURANT	4,961 SF
ELEVATOR	78 SF
STAIRS	353 SF
BLDG 1400 TOTAL	13,418 SF
BLDG 1500	
FLOOR 1	
IN-LINE	4,714 SF
ELECTRICAL	156 SF
BLDG 1500 TOTAL	4,871 SF
BLDG 1600A	
FLOOR 1	
QUICK FOOD	3,490 SF
RESTAURANT	3,099 SF
IN-LINE	4,959 SF
COMMON CORRIDOR	441 SF
ELECTRICAL	242 SF
AV	86 SF
RISER ROOMS	77 SF
BLDG 1600A TOTAL	12,394 SF
BLDG 1700A-B	
FLOOR 1	
RESTAURANT	9,861 SF
QUICK FOOD	419 SF
COMMON CORRIDOR	181 SF
ELECTRICAL	353 SF

BOH	891 SF
RESTROOMS	609 SF
RISER ROOMS	62 SF
BLDG 1700A-B TOTAL	12,377 SF
BLDG 1800A-E	
FLOOR 1	
RESTAURANT	7,993 SF
QUICK FOOD	4,382 SF
ELECTRICAL	345 SF
RISER ROOMS	64 SF
FLOOR 2	
RESTAURANT	10,050 SF
ELEVATOR	227 SF
STAIRS	761 SF
BLDG 1800A-E TOTAL	23,823 SF
BLDG 1900	
FLOOR 1	
RESTAURANT	6,185 SF
ELECTRICAL	254 SF
RESTROOMS	989 SF
BOH	441 SF
AV	118 SF
RISER ROOMS	65 SF
FLOOR 2	
RESTAURANT	4,855 SF
ELEVATOR	74 SF
STAIRS	398 SF
BLDG 1900 TOTAL	13,379 SF
BLDG 2000	
FLOOR 1	
MARKET HALL	23,793 SF
ELECTRICAL	287 SF
RISER ROOMS	58 SF
BLDG 2000 TOTAL	24,138 SF
BLDG 2100A-B	
FLOOR 1	
RESTAURANT	9,833 SF
QUICK FOOD	2,718 SF
ELECTRICAL	296 SF
AV	80 SF
RISER ROOMS	64 SF
BLDG 2100A-B TOTAL	12,991 SF
BLDG 2200A-D	
FLOOR 1	
IN-LINE	5,196 SF
IN-LINE	6,954 SF
ANCHOR	14,495 SF
ELECTRICAL	213 SF
RISER ROOMS	37 SF
FLOOR 2	
ANCHOR	13,723 SF
IN-LINE	6,403 SF
ELEVATOR	155 SF
STAIRS	1,444 SF
BLDG 2200A-D TOTAL	48,620 SF
BLDG 2300A-E	
FLOOR 1	
IN-LINE	8,385 SF
RESTAURANT	4,905 SF
ELECTRICAL	229 SF
AV	80 SF
BLDG 2300A-E TOTAL	13,600 SF
BLDG PAD 1 - GROUND LEASE	
FLOOR 1	
QUICK FOOD	3,824 SF
BLDG PAD 1 - GROUND LEASE	3,824 SF
BLDG PAD 2 - GROUND LEASE	
FLOOR 1	
RESTAURANT	3,054 SF
BLDG PAD 2 - GROUND LEASE	3,054 SF
BLDG PAD 3 - GROUND LEASE	
FLOOR 1	
BANK	3,454 SF
BLDG PAD 3 - GROUND LEASE	3,454 SF

BLDG PAD 4 - GROUND LEASE	
FLOOR 1	
BANK	3,921 SF
BLDG PAD 4 - GROUND LEASE	3,921 SF
BLDG PAD 5 (GROUND LEASE)	
FLOOR 1	
RESTAURANT	10,000 SF
BLDG PAD 5 (GROUND LEASE)	10,000 SF
COFFEE SHOP	
FLOOR 1	
COFFEE SHOP	800 SF
COFFEE SHOP	800 SF
RETAIL GROSS AREA TOTAL	516,094 SF

AREA COLORS

- IN-LINE
- ANCHOR
- RESTAURANT
- QUICK FOOD
- CINEMA
- GROCERY
- RESTROOMS
- MARKET HALL

1 GROSS AREA PLAN - GROUND FLOOR
1" = 100'-0"

REVISIONS		
#	DATE	DESCRIPTION
1	09-27-17	PARKING BOTS SD
2	12-28-17	100% SCHEMATIC DESIGN
3	03-02-18	PHASE 1 - 50% DD
4	06-20-18	PHASE 1 - PERMITS 100% CONCEPT
5	07-13-18	PHASE 1 - 95% SD
6	07-25-18	PHASE 1 - 100% SD
7	08-14-18	PLAT PLAN SUBMITTAL

GROSS AREA PLAN

0
A0.25

REVISIONS


#	DATE	DESCRIPTION
1	09.27.17	PKING BMS SD
2	12.28.17	100% SCHEMATIC DESIGN
3	03.02.18	PHASE 1 - 50% DD
4	06.20.18	PHASE 1 - PKING 100% CONCEPT
5	07.13.18	PHASE 1 - 95% SD
6	07.25.18	PHASE 1 - 100% SD
7	08.14.18	PKING PLAN SUBMITTAL

LEASABLE AREA PLAN

0
A0.26

MASTER PLAN
HOLLYWOOD PARK 16037

BCV ARCHITECTS



2 **CONDITIONED LEASABLE AREA PLAN - SECOND FLOOR**
1" = 100'-0"

LEASABLE AREA		LEASABLE AREA		LEASABLE AREA	
TYPE	AREA	TYPE	AREA	TYPE	AREA
BLDG 100		BLDG 1100		BLDG 2000	
FLOOR 1		FLOOR 1		FLOOR 1	
IN-LINE	5,451 SF	IN-LINE	7,864 SF	MARKET HALL	23,793 SF
CINEMA	55,545 SF	QUICK FOOD	3,586 SF	BLDG 2000 TOTAL	23,793 SF
BLDG 100 TOTAL	60,997 SF	BLDG 1100 TOTAL	11,450 SF	BLDG 2100A-B	
BLDG 200		BLDG 1200		FLOOR 1	
FLOOR 1		FLOOR 1		RESTAURANT	9,833 SF
ANCHOR	14,418 SF	QUICK FOOD	5,200 SF	QUICK FOOD	2,718 SF
RESTAURANT	6,255 SF	IN-LINE	4,246 SF	BLDG 2100A-B TOTAL	12,551 SF
BLDG 200 TOTAL	34,479 SF	BLDG 1200 TOTAL	9,446 SF	BLDG 2200A-D	
BLDG 300		BLDG 1300		FLOOR 1	
FLOOR 1		IN-LINE	12,411 SF	IN-LINE	5,196 SF
RESTAURANT	5,168 SF	QUICK FOOD	8,228 SF	IN-LINE	6,954 SF
QUICK FOOD	4,454 SF	FLOOR 2		ANCHOR	14,495 SF
IN-LINE	7,958 SF	IN-LINE	20,931 SF	FLOOR 2	
BLDG 300 TOTAL	17,579 SF	BLDG 1300 TOTAL	41,570 SF	ANCHOR	13,723 SF
BLDG 400		BLDG 1400		IN-LINE	6,403 SF
FLOOR 1		FLOOR 1		BLDG 2200A-D TOTAL	46,771 SF
GROCERY	17,980 SF	RESTAURANT	547 SF	BLDG 2300A-E	
BLDG 400 TOTAL	17,980 SF	RESTAURANT	4,571 SF	FLOOR 1	
BLDG 500		BAR	2,675 SF	IN-LINE	8,385 SF
FLOOR 1		FLOOR 2		RESTAURANT	4,905 SF
ANCHOR	20,971 SF	RESTAURANT	4,961 SF	BLDG 2300A-E TOTAL	13,290 SF
BLDG 500 TOTAL	20,971 SF	BLDG 1400 TOTAL	12,754 SF	BLDG PAD 1 - GROUND LEASE	
BLDG 600		BLDG 1500		FLOOR 1	
FLOOR 1		FLOOR 1		QUICK FOOD	3,824 SF
RESTAURANT	3,968 SF	IN-LINE	4,714 SF	BLDG PAD 1 - GROUND LEASE	3,824 SF
BLDG 600 TOTAL	3,968 SF	BLDG 1500 TOTAL	4,714 SF	BLDG PAD 2 - GROUND LEASE	
BLDG 700		BLDG 1600A-I		FLOOR 1	
FLOOR 1		FLOOR 1		RESTAURANT	3,054 SF
IN-LINE	10,039 SF	QUICK FOOD	3,490 SF	BLDG PAD 2 - GROUND LEASE	3,054 SF
QUICK FOOD	4,601 SF	RESTAURANT	3,099 SF	BLDG PAD 3 - GROUND LEASE	
BLDG 700 TOTAL	14,640 SF	IN-LINE	4,959 SF	FLOOR 1	
BLDG 800		BLDG 1600A-I TOTAL	11,549 SF	BANK	3,454 SF
FLOOR 1		BLDG 1700A-B		BLDG PAD 3 - GROUND LEASE	3,454 SF
IN-LINE	11,010 SF	BLDG 1700A-B		BLDG PAD 4 - GROUND LEASE	
FLOOR 2		FLOOR 1		FLOOR 1	
IN-LINE	10,677 SF	RESTAURANT	9,861 SF	BANK	3,921 SF
BLDG 800 TOTAL	21,687 SF	QUICK FOOD	419 SF	BLDG PAD 4 - GROUND LEASE	3,921 SF
BLDG 900		BLDG 1700A-B TOTAL	10,280 SF	BLDG PAD 5 (GROUND LEASE)	
FLOOR 1		BLDG 1800A-E		FLOOR 1	
IN-LINE	13,293 SF	FLOOR 1		RESTAURANT	10,000 SF
RESTAURANT	6,294 SF	RESTAURANT	7,993 SF	BLDG PAD 5 (GROUND LEASE)	10,000 SF
QUICK FOOD	5,032 SF	QUICK FOOD	4,382 SF	COFFEE SHOP	800 SF
FLOOR 2		FLOOR 2		COFFEE SHOP	800 SF
RESTAURANT	5,758 SF	RESTAURANT	10,050 SF	FLOOR 1	
BLDG 900 TOTAL	30,376 SF	BLDG 1800A-E TOTAL	22,426 SF	COFFEE SHOP	800 SF
BLDG 1000		BLDG 1900		PROJECT GROSS LEASABLE AREA TOTAL	489,119 SF
FLOOR 1		FLOOR 1			
IN-LINE	6,625 SF	RESTAURANT	6,185 SF		
QUICK FOOD	3,131 SF	FLOOR 2			
BLDG 1000 TOTAL	9,757 SF	RESTAURANT	4,855 SF		
		BLDG 1900 TOTAL	11,039 SF		

PARKING SUMMARY


NAME	COUNT
PARKING REQUIRED	1,957
SP-1	44
SP-2	43
SP-3	183
SP-4	277
STREET	36
P-1 (4 FLOORS)	855
MU-8	272
MU-3	268
RETAIL TOTAL	1,978

+ 100 SPACES IN PARKING STRUCTURE FOR RESIDENTIAL GUESTS

PARKING TOTAL 2,078

LEASABLE AREA - TOTALS

TYPE	AREA
FLOOR 1	
ANCHOR	49,884 SF
BANK	7,375 SF
BAR	2,675 SF
CINEMA	55,545 SF
COFFEE SHOP	800 SF
GROCERY	17,980 SF
IN-LINE	109,105 SF
MARKET HALL	23,793 SF
QUICK FOOD	49,066 SF
RESTAURANT	81,732 SF
FLOOR 1 SUB-TOTAL	397,954 SF
FLOOR 2	
ANCHOR	27,530 SF
IN-LINE	38,012 SF
RESTAURANT	25,624 SF
FLOOR 2 SUB-TOTAL	91,166 SF
PROJECT GROSS LEASABLE AREA TOTAL	489,119 SF




1 **CONDITIONED LEASABLE AREA PLAN - GROUND FLOOR**
1" = 100'-0"

8/13/2018 7:13:35 PM


NOTES

1. BUILDING ELEVATIONS ARE GIVEN TO THE TOP OF PARAPET, TOP OF FINISH FLOOR, OR TOP OF ROOF DRAIN, RELATIVE TO THE BUILDING ELEVATION DATUM POINT.
2. THE BUILDING DATUM ELEVATION POINT +0'-0" IS 107.5'
3. ALL EXTERIOR FINISHES TO BE PROVIDED AS SHOWN UNLESS INDICATED "BY TENANT". AT THESE LOCATIONS PROVIDE CONTINUOUS INSULATION AND WATERPROOFING SYSTEMS, AND TEMPORARY U.V. PROTECTION IN ADVANCE OF FINISHES PROVIDED BY TENANT.
4. REFER TO PRELIMINARY PROJECT DESCRIPTION FOR FINISH MATERIALS.
5. ALL STOREFRONTS, GLAZING, AND DOORS BY TENANT U.O.N., TYP.


4 SOUTH ELEVATION
1/16" = 1'-0"





3 WEST ELEVATION
1/16" = 1'-0"



2 NORTH ELEVATION
1/16" = 1'-0"



1 EAST ELEVATION
1/16" = 1'-0"



REVISIONS		
#	DATE	DESCRIPTION
1	09.27.17	PRELIMINARY 100% SD
2	12.28.17	100% SCHEMATIC DESIGN
3	03.02.18	PHASE 1 - 50% DD
4	04.06.18	PHASE 2 - 50% DD
5	06.20.18	PHASE 1 - PRECIS/100% CONCEPT
6	07.13.18	PHASE 1 - 95% SD
7	07.25.18	PHASE 1 - 100% SD
8	08.14.18	PROF PLAN SUBMITTAL

ELEVATIONS

1
A1.21

8/10/2018 2:21:18 PM

NOTES

- BUILDING ELEVATIONS ARE GIVEN TO THE TOP OF PARAPET, TOP OF FINISH FLOOR, OR TOP OF ROOF DRAIN, RELATIVE TO THE BUILDING ELEVATION DATUM POINT.
- THE BUILDING DATUM ELEVATION POINT +0'-0" IS 107.3'
- ALL EXTERIOR FINISHES TO BE PROVIDED AS SHOWN UNLESS INDICATED "BY TENANT". AT THESE LOCATIONS PROVIDE CONTINUOUS INSULATION AND WATERPROOFING SYSTEMS, AND TEMPORARY U.V. PROTECTION IN ADVANCE OF FINISHES PROVIDED BY TENANT.
- REFER TO PRELIMINARY PROJECT DESCRIPTION FOR FINISH MATERIALS.
- ALL STOREFRONTS, GLAZING, AND DOORS BY TENANT U.O.N., TYP.

BCV

MLA

WILSON MEANY


WILSON MEANY

THE KROENKE GROUP


HOLLYWOOD PARK RETAIL

INGLEWOOD, CA

BCV ARCHITECTS



3 EAST ELEVATION
1/16" = 1'-0"




2 SOUTH ELEVATION
1/16" = 1'-0"

#	DATE	DESCRIPTION
1	09.27.17	PERKINS/100% SD
2	12.28.17	100% SCHEMATIC DESIGN
3	03.02.18	PHASE 1 - 50% DD
4	04.06.18	PHASE 2 - 50% DD
5	06.20.18	PHASE 1 - PERKINS/100% CONCEPT
6	07.13.18	PHASE 1 - 95% SD
7	07.25.18	PHASE 1 - 100% SD
8	08.14.18	PROF PLAN SUBMITTAL

ELEVATIONS

2
A1.21

BLDG 200A-B
HOLLYWOOD PARK 16037



NOTES

1. BUILDING ELEVATIONS ARE GIVEN TO THE TOP OF PARAPET, TOP OF FINISH FLOOR, OR TOP OF ROOF DRAIN, RELATIVE TO THE BUILDING ELEVATION DATUM POINT.
2. THE BUILDING DATUM ELEVATION POINT +0'-0" IS 107.3'
3. ALL EXTERIOR FINISHES TO BE PROVIDED AS SHOWN UNLESS INDICATED "BY TENANT". AT THESE LOCATIONS PROVIDE CONTINUOUS INSULATION AND WATERPROOFING SYSTEMS, AND TEMPORARY U.V. PROTECTION IN ADVANCE OF FINISHES PROVIDED BY TENANT.
4. REFER TO PRELIMINARY PROJECT DESCRIPTION FOR FINISH MATERIALS.
5. ALL STOREFRONTS, GLAZING, AND DOORS BY TENANT U.O.N., TYP.
6. ALL CANOPIES PROVIDED BY OWNER TO BE DETAILED AFTER 50% DD.

BCV

MLA

WILSON MEANY


WILSON MEANY

THE KROENKE GROUP


HOLLYWOOD PARK RETAIL

INGLEWOOD, CA


BCV ARCHITECTS




3 SOUTHEAST ELEVATION
1/16" = 1'-0"



2 NORTHEAST ELEVATION
1/16" = 1'-0"



1 NORTH ELEVATION
1/16" = 1'-0"



REVISIONS	
#	DATE DESCRIPTION
1	09.27.17 PRCR/IG/BD/SD
2	12.28.17 100% SCHEMATIC DESIGN
3	03.02.18 PHASE 1 - 50% DD
4	04.06.18 PHASE 2 - 50% DD
5	06.20.18 PHASE 1 - PRCR/IG/100% CONCEPT
6	07.13.18 PHASE 1 - 95% SD
7	07.25.18 PHASE 1 - 100% SD
8	08.14.18 PLOT PLAN SUBMITTAL

ELEVATIONS

2
A1.22

BDG 200A-B
HOLLYWOOD PARK 16037

8/10/2018 1:23:10 PM

NOTES

1. BUILDING ELEVATIONS ARE GIVEN TO THE TOP OF PARAPET, TOP OF FINISH FLOOR, OR TOP OF ROOF DRAIN, RELATIVE TO THE BUILDING ELEVATION DATUM POINT.
2. THE BUILDING DATUM ELEVATION POINT +0'-0" IS 107.3'
3. ALL EXTERIOR FINISHES TO BE PROVIDED AS SHOWN UNLESS INDICATED "BY TENANT". AT THESE LOCATIONS PROVIDE CONTINUOUS INSULATION AND WATERPROOFING SYSTEMS, AND TEMPORARY U.V. PROTECTION IN ADVANCE OF FINISHES PROVIDED BY TENANT.
4. REFER TO PRELIMINARY PROJECT DESCRIPTION FOR FINISH MATERIALS.
5. ALL STOREFRONTS, GLAZING, AND DOORS BY TENANT U.O.N., TYP.

BCV

MLA

WILSON MEANY


WILSON MEANY

THE KROENKE GROUP


HOLLYWOOD PARK RETAIL

INGLEWOOD, CA


BCV ARCHITECTS




1 SOUTH ELEVATION
1/16" = 1'-0"




2 WEST ELEVATION
1/16" = 1'-0"



3 NORTH ELEVATION
1/16" = 1'-0"



4 EAST ELEVATION
1/16" = 1'-0"



#	DATE	DESCRIPTION
1	09.27.17	PRELIM/80% SD
2	12.28.17	100% SCHEMATIC DESIGN
3	03.02.18	PHASE 1 - 50% DD
4	04.06.18	PHASE 2 - 50% DD
5	06.20.18	PHASE 1 - PRELIM/100% CONCEPT
6	07.13.18	PHASE 1 - 95% SD
7	07.25.18	PHASE 1 - 100% SD
8	08.14.18	PHOT PLAN SUBMITTAL

ELEVATIONS

3
A1.21

BDG 300A-B
HOLLYWOOD PARK 16037

NOTES

1. BUILDING ELEVATIONS ARE GIVEN TO THE TOP OF PARAPET, TOP OF FINISH FLOOR, OR TOP OF ROOF DRAIN, RELATIVE TO THE BUILDING ELEVATION DATUM POINT.
2. THE BUILDING DATUM ELEVATION POINT +0'-0" IS 106.11'
3. ALL EXTERIOR FINISHES TO BE PROVIDED AS SHOWN UNLESS INDICATED "BY TENANT". AT THESE LOCATIONS PROVIDE CONTINUOUS INSULATION AND WATERPROOFING SYSTEMS, AND TEMPORARY U.V. PROTECTION IN ADVANCE OF FINISHES PROVIDED BY TENANT.
4. REFER TO PRELIMINARY PROJECT DESCRIPTION FOR FINISH MATERIALS.
5. ALL STOREFRONTS, GLAZING, AND DOORS BY TENANT U.O.N., TYP.

BCV

MLA

WILSON MEANY


WILSON MEANY

THE KROENKE GROUP


HOLLYWOOD PARK RETAIL

INGLEWOOD, CA


BCV ARCHITECTS




4 SOUTHWEST ELEVATION
1/16" = 1'-0"




3 NORTHWEST ELEVATION
1/16" = 1'-0"



2 NORTHEAST ELEVATION
1/16" = 1'-0"



1 SOUTHEAST ELEVATION
1/16" = 1'-0"



REVISIONS	
#	DATE DESCRIPTION
1	09.27.17 PRICING/BDP SD
2	12.28.17 100% SCHEMATIC DESIGN
3	03.02.18 PHASE 1 - 50% DD
4	04.06.18 PHASE 2 - 50% DD
5	06.20.18 PHASE 1 - PRICING/100% CONCEPT
6	07.13.18 PHASE 1 - 95% SD
7	07.25.18 PHASE 1 - 100% SD
8	08.14.18 PROFF PLAN SUBMITTAL

ELEVATIONS


4
A1.21

BLDG 400
HOLLYWOOD PARK 16037


8/10/2018 1:24:21 PM

NOTES


1. BUILDING ELEVATIONS ARE GIVEN TO THE TOP OF PARAPET, TOP OF FINISH FLOOR, OR TOP OF ROOF DRAIN, RELATIVE TO THE BUILDING ELEVATION DATUM POINT.
2. THE BUILDING DATUM ELEVATION POINT +0'-0" IS 105.5'
3. ALL EXTERIOR FINISHES TO BE PROVIDED AS SHOWN UNLESS INDICATED "BY TENANT". AT THESE LOCATIONS PROVIDE CONTINUOUS INSULATION AND WATERPROOFING SYSTEMS, AND TEMPORARY U.V. PROTECTION IN ADVANCE OF FINISHES PROVIDED BY TENANT.
4. REFER TO PRELIMINARY PROJECT DESCRIPTION FOR FINISH MATERIALS.
5. ALL STOREFRONTS, GLAZING, AND DOORS BY TENANT U.O.N., TYP.




4 SOUTHWEST ELEVATION
1/16" = 1'-0"




3 NORTHWEST ELEVATION
1/16" = 1'-0"



2 NORTHEAST ELEVATION
1/16" = 1'-0"



1 SOUTHEAST ELEVATION
1/16" = 1'-0"





REVISIONS	
#	DATE DESCRIPTION
1	09.27.17 PRICING/100% SD
2	12.28.17 100% SCHEMATIC DESIGN
3	03.02.18 PHASE 1 - 50% DD
4	04.06.18 PHASE 2 - 50% DD
5	06.20.18 PHASE 1 - PRICING/100% CONCEPT
6	07.13.18 PHASE 1 - 95% SD
7	07.25.18 PHASE 1 - 100% SD
8	08.14.18 POST PLAN SUBMITTAL


ELEVATIONS

5
A1.21

BDG 500
HOLLYWOOD PARK 16037



1 EXTERIOR ELEVATIONS 3/32" □ 1'-0"



2 EXTERIOR ELEVATIONS 3/32" □ 1'-0"


- 1. - GENERAL**
- 1.1 STANDARD STALL STRIPING - REFER TO DETAIL 6/A/D1
 - 1.2 ACCESSIBLE STALL STRIPING - REFER TO DETAIL 8 OR 12/A/D1
 - 1.3 DIRECTION ARROWS - REFER TO DETAIL 5/A/D1
 - 1.4 WARNING STRIPING - REFER TO DETAIL 1/A/D1
 - 1.5 ACCESSIBLE SIGN POLE MOUNT - REFER TO DETAIL 7/A/D1
 - 1.6 ACCESSIBLE SIGN POLE MOUNT OVER CONC. BEAM - REFER TO DETAIL 18/A/D1
- 2. - SITE CONSTRUCTION**
- 2.1 LANDSCAPING - NOT PART OF SCOPE UNDER SEPARATE CONTRACT
 - 2.2 SIDE WALK - REFER TO CIVIL/LANDSCAPE DWGS
- 3. - CONCRETE**
- 3.1 CONC. COLUMN W/ 7" CHAIRS - REFER TO DETAIL 11/A/D1
 - 3.2 6" RAISED CONC. CURB/ISLAND - REFER TO DETAIL 14/A/D1
 - 3.3 ELEVATED CONC. SLAB - REFER TO DETAIL DWG'S
 - 3.4 SHOTCRETE RAINING WALL - REFER TO STRUCT. DWGS
 - 3.5 CONC. SHEAR WALL - REFER TO STRUCT. DWGS
 - 3.6 CONC. WALL - REFER TO STRUCT. DWGS
 - 3.7 CONC. SLAB ON GRADE - REFER TO STRUCT. DWGS
 - 3.8 CONC. CUNNINGHAM BEAM - REFER TO STRUCT. DWGS
 - 3.9 CONC. DOWNY - REFER TO STRUCT. DWGS
 - 3.10 CONC. TRANSFER BEAM - REFER TO STRUCT. DWGS
 - 3.11 CONC. SPANDREL (2'-8" HEIGHT) - REFER TO STRUCT. DWGS
 - 3.12 CONC. UPTURN BEAM - REFER TO STRUCT. DWGS
 - 3.13 CONC. PODIUM DECK - REFER TO STRUCT. DWGS
 - 3.14 CONC. CRICKET
- 4. - MASONRY**
- 4.1 CMU WALL - REFER TO STRUCT. DWGS
 - 4.2 CMU WALL - 2'-8" HIGH W/ 2" CAP
- 5. - METALS**
- 5.1 METAL PAN STAIR (CONC. FILLED) - REFER TO FLOOR PLANS
 - 5.2 METAL PIPE BOLLARD (CONC. FILLED) - DETAIL 4/A801
 - 5.3 42" HIGH GUARDRAIL - REFER TO DETAIL 11/A620
 - 5.4 □ HIGH RAILING OVER CMU WALL
 - 5.5 □ HIGH RAILING OVER SPANDREL
 - 5.6 BARRIER BLES - REFER TO SHEET A402
 - 5.7 WATERPROOFING PROTECT
 - 5.8 FIRE ELTINGUISHING NET - REFER TO DETAIL 13/A/D1
 - 5.9 ROOM IDENTIFICATION SIGN - REFER TO DETAIL 8/A701
 - 5.10 METAL DOOR
 - 5.11 NOT USED
 - 5.12 - SPECIFIED
- 6. - ELECTRICAL**
- 6.1 ACCEPTABLE WARNING STRIP - SEE DETAIL 7/A/D1
 - 6.2 OVERHEAD VEHICLE ENTRY / EXIT BARRIER BAR, REFER TO DETAIL 4/A801 (17/A/D1)
 - 6.3 FUEL WARNING SIGN - REFER TO DETAIL 13/A/D1
 - 6.4 ACCESSIBLE WARNING SIGN - REFER TO DETAIL 13/A/D1
 - 6.5 ROOM IDENTIFICATION SIGN - REFER TO DETAIL 8/A701
 - 6.6 REDUCED CLEARANCE SIGN - REFER TO DETAIL 17/A/D1
 - 6.7 BICYCLE RACK (BICER02.0)
 - 6.8 PAY STATION (CONDUIT ONLY)
 - 6.9 TIER IDENTIFICATION SIGN - REFER TO DETAIL 16/A/D1
 - 6.10 SIGN AS REQUIRED BY OTHERS
 - 6.11 ELASTOMERIC COATING
 - 6.12 SHORING SYSTEM - REFER TO SHORING DWGS
 - 6.13 DO NOT ENTER SIGN - REFER TO DETAIL 20/A/D1
 - 6.14 CONVENTIONAL LIGHTING
 - 6.15 3500K LED LIGHTING
 - 6.16 MECHANICAL LIGHTING
 - 6.17 FLOOR FINISH - REFER TO DETAIL 11/A801
 - 6.18 ROOF DRAIN AND OVERFLOW - REFER TO DETAIL 11/A801
 - 6.19 PLUMBING RISER W/ BENT PLANS - REFER TO DETAIL 7/A801
 - 6.20 STAIR RISER - REFER TO FIRE PROTECTION DWG'S.
 - 6.21 ELECTRICAL
 - 6.22 NOT USED
 - 6.23 ILLUMINATED ELT SIGN - REFER TO ARCH./ELECT. PLANS (DR LOCATIONS)
 - 6.24 NOT USED
 - 6.25 ELECTRICAL OUTLET - REFER TO ELECTRICAL DWGS

HOLLYWOOD PARK RETAIL PARKING STRUCTURE INGLEWOOD, CALIFORNIA


EXTERIOR ELEVATIONS

JOB NO. 18-010
 DATE: 07.27.19
 DRAWN BY: JC
 SCALE: AS NOTED
 CHECKED BY: BR

A301



1 EXTERIOR ELEVATIONS
 3/32" □ 1'-0"



2 EXTERIOR ELEVATIONS
 3/32" □ 1'-0"

- 1. - GENERAL**
- 1.1 STANDARD STALL STRIPING - REFER TO DETAIL 6/A/D1
 - 1.2 ACCESSIBLE STALL STRIPING - REFER TO DETAIL 8 OR 12/A/D1
 - 1.3 DIRECTION ARROWS - REFER TO DETAIL 5/A/D1
 - 1.4 WARNING STRIPING - REFER TO DETAIL 1/A/D1
 - 1.5 ACCESSIBLE SIGN POLE MOUNT - REFER TO DETAIL 17/A/D1
 - 1.6 ACCESSIBLE SIGN POLE MOUNT OVER CONC. BEAM - REFER TO DETAIL 18/A/D1
- 2. - SITE CONSTRUCTION**
- 2.1 LANDSCAPING - NOT PART OF SCOPE UNDER SEPARATE CONTRACT
 - 2.2 SIDE WALK - REFER TO CIVIL/LANDSCAPE SEPARATE
- 3. - CONCRETE**
- 3.1 CONC. COLUMN W/ 7" CHAIR - REFER TO DETAIL 11/A/D1
 - 3.2 6" RAISED CONC. CURB/ISLAND - REFER TO DETAIL 14/A/D1
 - 3.3 ELEVATED CONC. SLAB - REFER TO STRUCT. DWGS
 - 3.4 SHOTCRETE RETAINING WALL - REFER TO STRUCT. DWGS
 - 3.5 CONC. SHEAR WALL - REFER TO STRUCT. DWGS
 - 3.6 CONC. WALL - REFER TO STRUCT. DWGS
 - 3.7 CONC. SLAB ON GRADE - REFER TO STRUCT. DWGS
 - 3.8 CONC. DOWNDRUM BEAM - REFER TO STRUCT. DWGS
 - 3.9 CONC. TRANSVERSE BEAM - REFER TO STRUCT. DWGS
 - 3.10 CONC. SPANDREL (2'-8" HEIGHT) - REFER TO STRUCT. DWGS
 - 3.11 CONC. UPTURN BEAM - REFER TO STRUCT. DWGS
 - 3.12 CONC. PODIUM DECK - REFER TO STRUCT. DWGS
 - 3.13 CONC. CRICKET
- 4. - MASONRY**
- 4.1 CMU WALL - REFER TO STRUCT. DWGS
 - 4.2 CMU WALL - 2'-8" HIGH W/ 2" CAP
- 5. - METALS**
- 5.1 METAL PAN STAIR (CONC. FILLED) - REFER TO FLOOR PLANS
 - 5.2 METAL PIPE BOLLARD (CONC. FILLED) - DETAIL 4/A801
 - 5.3 42" HIGH GUARDRAIL - REFER TO DETAIL 11/A620
 - 5.4 HIGH RAILING OVER CMU WALL
 - 5.5 HIGH RAILING OVER SPANDREL
 - 5.6 PARAPET BLES - REFER TO SHEET A402
 - 5.7 WATERPROOFING
 - 5.8 FIRE RATING GUSHING COGNET - REFER TO DETAIL 11/A/D1
 - 5.9 METAL DOOR
 - 5.10 NOT USED
 - 5.11 SPECIFIED
- 6. - ELECTRICAL**
- 6.1 ACCESSIBLE WARNING STRIP - SEE DETAIL 7/A/D1
 - 6.2 OVERHEAD VEHICLE ENTRY / EXIT BARRIER BAR, REFER TO DETAIL 9/A801 (17/A/D1)
 - 6.3 LUEL WARNING SIGN - REFER TO DETAIL 13/A/D1
 - 6.4 ACCESSIBLE WARNING SIGN - REFER TO DETAIL 13/A/D1
 - 6.5 ROOM IDENTIFICATION SIGN - REFER TO DETAIL 8/A701
 - 6.6 REDUCED CLEARANCE SIGN - REFER TO DETAIL 17/A/D1
 - 6.7 BICYCLE RACK (BICERID2.0)
 - 6.8 PAY STATION (CONDUIT ONLY)
 - 6.9 TIER IDENTIFICATION SIGN - REFER TO DETAIL 16/A/D1
 - 6.10 SIGN AS REQUIRED BY OTHERS
 - 6.11 ELASTOMERIC COATING
 - 6.12 SHORING SYSTEM - REFER TO SHORING DWGS
 - 6.13 CONDUIT ENTRY SIGN - REFER TO DETAIL 20/A/D1
 - 6.14 3500V ELEVATOR - REFER TO DETAIL A501
 - 6.15 MECHANICAL PLUMBING
 - 6.16 FLOOR FINISH - REFER TO DETAIL 11/A801
 - 6.17 ROOF DRAIN AND OVERFLOW - REFER TO DETAIL 11/A801
 - 6.18 PLUMBING RISER W/ BENT PLANS - REFER TO DETAIL 17/A801
 - 6.19 STAIR RISER - REFER TO FIRE PROTECTION DWGS.
 - 6.20 ELECTRICAL
 - 6.21 NOT USED
 - 6.22 ILLUMINATED ELT SIGN - REFER TO ARCH./ELECT. PLANS (DR LOCATIONS)
 - 6.23 NOT USED
 - 6.24 ELECTRICAL OUTLET - REFER TO ELECTRICAL DWGS

KEY NOTES

**HOLLYWOOD PARK RETAIL
 PARKING STRUCTURE**
 INGLEWOOD, CALIFORNIA

EXTERIOR ELEVATIONS

JOB NO. **18-010**
 DATE: **07.30.18**
 DRAWN BY: **JC**
 SCALE: **AS NOTED**
 CHECKED BY: **CR**

A302

SECTION		A	Ampere	Developer / Owner:	Wilson Meany
ELEVATION		Adj.	Adjacent	Design Architect:	BCV Architects
DETAIL		ADJ	Above Finished Floor	Architect of Record:	Architects Orange
KEYNOTE		AOR	Architect of Record	Architect of Record:	Architects Orange
COLUMN		APPROX	Approximately	Civil:	D&D Engineering
ELEVATION		ARCH	Architect	Low Voltage / AV / Security:	Henderson Engineers (H-EI)
SPOT ELEVATION		S.O.	Bottom of	Mechanical, Electrical, & Plumbing:	Linwood Engineering
PROPERTY LINE		BTUH	British Thermal Units per Hour	Lighting:	Horton Lees Brogden (H-LB)
CENTER LINE		CL	Center Line	Landscape Architect:	Studio - MLA
NORTH ARROW		ELEC	Electrical	Signage:	RSM Design
GRAPHIC SCALE		h	Height	Code:	Code Consultants, Inc. (CCI)
REVISION CLOUD		HORIZ	Horizontal	Parking:	Walker-Consultants
POWER		LED	Light Emitting Diode	Structural:	Englekirk
DATA		lb	Pounds	Promotional Platform:	Sensory Interactive, Inc.
		na	Not Applicable	Digital Media Contractor:	Vendor
		MAX	Maximum		
		MECH	Mechanical		
		MIN	Minimum		
		mm	Millimeters		
		NTS	Not to Scale		
		PL	Property Line		
		ft ² or SF	Square Feet		
		m ²	Square Meters		
		TBD	To Be Determined		
		T.O.	Top Of		
		TYP	Typical		
		QTY	Quantity		
		V	Volt		
		VERT	Vertical		
		V.I.F.	Verify In Field		
		W	Watt		
		w	Width		

Not for construction, for coordination purposes only.


Plot Plan Submittal

August 16, 2018

Wilson Meany
6701 Center Drive, Suite 200
Los Angeles, CA 90045

Coordination
Page 4

THE SENSORY INTERACTIVE



Not for construction, for coordination purposes only.

Legend

- Digital LED Display
- Static Display
- Interactive LCD Kiosk
- Interactive Dimensional Letters
- Activation Station
- Building Envelope

Plot Plan Submittal

August 16, 2018

Wilson Meany
6701 Center Drive, Suite 200
Los Angeles, CA 90045

Coordination
Page 4

THE SENSORY INTERACTIVE

Display	Height	Width	Area	Weight (Net)	Maximum Power (Watts)	LED Type	Dist. Notes
D1	± 30'-0"	± 20'-0"	± 1,200 sf	± 16,000 lb	± 21,200W	10mm	** Wall @ Praline Avenue
D2	± 32'-0"	± 20'-0"	± 1,200 sf	± 16,000 lb	± 21,200W	10mm	** Wall @ Gentry Boulevard
D3	± 34'-0"	± 16'-0"	± 1,024 sf	± 13,248 lb	± 18,336W	9mm	** The Court
D4	± 42'-11"	± 25'-6"	± 1,246 sf	± 17,246 lb	± 23,493W	9mm	** Gentry Plaza

Display	Width	Height	Area	Weight (Net)	Maximum Power (Watts)	LED Type	Dist. Notes
S1.1	± 30'-0"	± 20'-0"	± 600 sf	± 9,000 lb	± 12,600W	10mm	** Praline Avenue Wall - Intensity Illuminated - Exterior
S1.2	± 32'-0"	± 20'-0"	± 640 sf	± 9,000 lb	± 12,600W	10mm	** Praline Avenue Wall - Intensity Illuminated - Exterior
S1.3	± 32'-0"	± 20'-0"	± 640 sf	± 9,000 lb	± 12,600W	10mm	** Praline Avenue Wall - Intensity Illuminated - Exterior
S1.4	± 33'-0"	± 20'-0"	± 660 sf	± 9,000 lb	± 12,600W	10mm	** Century Boulevard Wall - Intensity Illuminated - Exterior
S1.5	± 33'-0"	± 20'-0"	± 660 sf	± 9,000 lb	± 12,600W	10mm	** Century Boulevard Wall - Intensity Illuminated - Exterior
S1.6	± 33'-0"	± 20'-0"	± 660 sf	± 9,000 lb	± 12,600W	10mm	** Century Boulevard Wall - Intensity Illuminated - Exterior
S1-Caption/ Buckle Stalk	± 42'-0"	± 11'-6"	± 483 sf	± 7,000 lb	± 9,000W	10mm	** The Court Data will be required for light level controls
S4-Caption & Buckle Stalk	± 33'-0"	± 11'-6"	± 378 sf	± 5,000 lb	± 6,000W	10mm	** The Court Data will be required for light level controls

Display	Configuration	Size (ft)	Area	Weight (Net)	Maximum Power (Watts)	LED Type	Dist. Notes
K1.1	Double Sided	66" (x) 66" (h)	4,356 sf	± 1,485W	± 1,485W	10mm	** 1 Interactive LCD and 1 non-interactive LCD
K1.2	Double Sided	66" (x) 66" (h)	4,356 sf	± 1,485W	± 1,485W	10mm	** 1 Interactive LCD and 1 non-interactive LCD
K1.3	Double Sided	66" (x) 66" (h)	4,356 sf	± 1,485W	± 1,485W	10mm	** 1 Interactive LCD and 1 non-interactive LCD
K1.4	Double Sided	66" (x) 66" (h)	4,356 sf	± 1,485W	± 1,485W	10mm	** 1 Interactive LCD and 1 non-interactive LCD
K2.1	Double Sided & Double Height	66" (x) 66" (h)	4,356 sf	± 2,970W	± 2,970W	10mm	** 1 Interactive LCD and 3 non-interactive LCDs

Not for construction, for coordination purposes only.

Plot Plan Submittal

August 16, 2018

Wilson Meany
6701 Center Drive, Suite 200
Los Angeles, CA 90045

Coordination
Page 5

THE SENSORY INTERACTIVE

Display	Height	Width	Area	Weight (Net)	Maximum Power (Watts)	LED Type	Dist. Notes
D1.1	± 4'-0"	± 1'-7"-0"	± 49 sf	± 1,440 lb	± 1,260W	8mm	** Laker Plaza group LED
D1.2	± 3'-0"	± 1'-7"-0"	± 49 sf	± 1,440 lb	± 1,260W	8mm	** Laker Plaza group LED
D1.3	± 2'-0"	± 1'-7"-0"	± 49 sf	± 1,440 lb	± 1,260W	8mm	** Laker Plaza group LED

Display	Width	Height	Area	Weight (Net)	Maximum Power (Watts)	LED Type	Dist. Notes
S5-Caption 1: Intensity Lit Static	± 24'-6"	± 1'-0"	± 246 sf	± 5,140 lb	± 4,116W	10mm	** Yes for lighting control - Family Room - Option 1
S5-Caption 2: Metal	± 34'-0"	± 1'-0"	± 340 sf	± 7,480 lb	± 4,116W	10mm	** Yes for lighting control - Family Room - Option 2

Display	Configuration	Size (ft)	Area	Weight (Net)	Maximum Power (Watts)	LED Type	Dist. Notes
K1.5	Double Sided	66" (x) 66" (h)	4,356 sf	± 1,485W	± 1,485W	10mm	** 1 Interactive LCD and 1 non-interactive LCD
K2.2	Double Sided & Double Height	66" (x) 66" (h)	4,356 sf	± 2,970W	± 2,970W	10mm	** 1 Interactive LCD and 3 non-interactive LCDs
K2.3	Double Sided & Double Height	66" (x) 66" (h)	4,356 sf	± 2,970W	± 2,970W	10mm	** 1 Interactive LCD and 3 non-interactive LCDs

Not for construction, for coordination purposes only.

Legend

- Digital LED Display
- Static Display
- Interactive LCD Kiosk
- Interactive Dimensional Letters
- Activation Station
- Building Envelope

Plot Plan Submittal

August 16, 2018

Wilson Meany
6701 Center Drive, Suite 200
Los Angeles, CA 90045

Coordination
Page 6

THE SENSORY INTERACTIVE

Plot Plan Submittal

August 16, 2018

Wilson Meany
6701 Center Drive, Suite 200
Los Angeles, CA 90045

Coordination
Page 6

THE SENSORY INTERACTIVE

Key:
** Power: AC 100 - 240V~ (+/- 10%), 50/60 Hz, A quad receptacle to be mounted at each location.
*** 1" Data conduit to be installed and connected to the nearest telecom closet.
**** 2" Data conduit to be installed and connected to the nearest telecom closet.

Note:
P4 kiosks are under separate permit & are shown for coordination.

General Information
Symbols & Abbreviations

General Conditions
Asset Schedule

General Conditions
Asset Schedule



8/13/2018 11:35:36 AM

#	DATE	DESCRIPTION
1	09.27.17	PKING, B05, SD
2	12.28.17	100% SCHEMATIC DESIGN
3	03.02.18	PHASE 1 - 50% DD
4	06.20.18	PHASE 1 - PKING, 100% CONCEPT
5	07.13.18	PHASE 1 - 95% SD
6	07.25.18	PHASE 1 - 100% SD
7	08.14.18	PILOT PLAN SUBMITTAL

SI - CENTURY & PRAIRIE

0
S1.02


MASTER PLAN
HOLLYWOOD PARK 16037



1 CENTURY BOULEVARD ELEVATION
SCALE: 1" = 40'-0"

DISPLAY STRUCTURE: BACKLIT STATIC	
Assets	S1.1 S1.2 S1.3 S1.4 S1.5 S1.6
Type	Backlit Static
Description	Century & Prairie
Dimensions (each)	+33'-0"W x +20'-0"H
Area	±660 sf
INFRASTRUCTURE: BACKLIT STATIC	
Weight	9,900lb
Power	±7,920
Data	Yes (for lighting controls)

DISPLAY STRUCTURE: DIGITAL	
Assets	D1 & D2
Type	10mm Digital
Description	Century & Prairie
Dimensions (each)	±60'-0"W x +20'-0"H
Area	±1200 sf
INFRASTRUCTURE: BACKLIT STATIC	
Weight	36,000lb
Avg. Power	±31,000W
Max. Power	±78,000W
Data	Yes



Not for construction, for coordination purposes only.

Legend

- Digital LED Display
- Static Display
- Refractive LCD Kiosk
- Illustrated Dimensional Footings
- Activation Spaces
- Building Envelope



Plot Plan Submittal

August 10, 2018

Wilson Meany
8701 Century Drive, Suite 160
Los Angeles, CA 90045

Coordination
Phase 7

SENSORY INTERACTIVE



1 PRAIRIE AVENUE ELEVATION
SCALE: 1" = 40'-0"

DISPLAY STRUCTURE: BACKLIT STATIC	
Assets	S1.1 S1.2 S1.3 S1.4 S1.5 S1.6
Type	Backlit Static
Description	Century & Prairie
Dimensions (each)	+33'-0"W x +20'-0"H
Area	±660 sf
INFRASTRUCTURE: BACKLIT STATIC	
Weight	9,900lb
Power	±7,920
Data	Yes (for lighting controls)

DISPLAY STRUCTURE: DIGITAL	
Assets	D1 & D2
Type	10mm Digital
Description	Century & Prairie
Dimensions (each)	±60'-0"W x +20'-0"H
Area	±1200 sf
INFRASTRUCTURE: BACKLIT STATIC	
Weight	36,000lb
Avg. Power	±31,000W
Max. Power	±78,000W
Data	Yes



Not for construction, for coordination purposes only.

Legend

- Digital LED Display
- Static Display
- Refractive LCD Kiosk
- Illustrated Dimensional Footings
- Activation Spaces
- Building Envelope

Plot Plan Submittal

August 10, 2018


Wilson Meany
8701 Century Drive, Suite 160
Los Angeles, CA 90045

Coordination
Phase 7

SENSORY INTERACTIVE

Plan & Elevation
Century Boulevard

Plan & Elevation
Prairie Avenue



1 STATIC SECTION, TYPICAL
1/16" = 1'-0"

2 DIGITAL SECTION, TYPICAL
1/16" = 1'-0"

Sections
Static and Digital Sections at Prairie and Century

Not for construction, for coordination purposes only.

Legend

- Digital LED Display
- Static Display
- Refractive LCD Kiosk
- Illustrated Dimensional Footings
- Activation Spaces
- Building Envelope

Plot Plan Submittal

August 10, 2018

Wilson Meany
8701 Century Drive, Suite 160
Los Angeles, CA 90045

Coordination
Phase 9

SENSORY INTERACTIVE