

TABLE OF CONTENTS

Inglewood Basketball and Entertainment Center Project Draft Environmental Impact Report

	<u>Page</u>
Summary	S-1
Introduction	S-1
Project Description	S-2
Adjusted Baseline	S-9
Cumulative Conditions	S-9
Project Variants.....	S-10
Assembly Bill 987/Public Resources Code 21168.6.8.....	S-11
Issues Raised by Agencies and the Public	S-11
Environmental Effects of the Proposed Project.....	S-13
Significant and Unavoidable Environmental Effects	S-38
Environmental Effects of the Project Variants	S-41
Alternatives to the Proposed Project.....	S-41
Summary Table.....	S-52
Chapter 1, Introduction	1-1
1.1 Background.....	1-1
1.2 Purpose and Use of this EIR.....	1-4
1.3 Recent Relevant Legislation	1-4
1.4 Environmental Review	1-7
1.5 Document Organization	1-10
Chapter 2, Project Description	2-1
2.1 Introduction	2-1
2.2 Project Location	2-2
2.3 Project Objectives	2-4
2.4 Project Site Existing Conditions	2-6
2.5 Project Elements.....	2-17
2.6 Actions	2-88
Chapter 3, Environmental Setting, Impacts, and Mitigation Measures	3-1
3.0 Introduction to the Analysis.....	3-1
3.1 Aesthetics	3.1-1
3.2 Air Quality	3.2-1
3.3 Biological Resources	3.3-1
3.4 Cultural and Tribal Cultural Resources	3.4-1
3.5 Energy Demand and Conservation.....	3.5-1
3.6 Geology and Soils.....	3.6-1
3.7 Greenhouse Gas Emissions	3.7-1
3.8 Hazards and Hazardous Materials.....	3.8-1
3.9 Hydrology and Water Quality	3.9-1

	<u>Page</u>
3.10 Land Use and Planning.....	3.10-1
3.11 Noise and Vibration	3.11-1
3.12 Population, Employment, and Housing.....	3.12-1
3.13 Public Services	3.13-1
3.14 Transportation and Circulation.....	3.14-1
3.15 Utilities and Service Systems.....	3.15-1
Chapter 4, Other CEQA-Required Considerations	4-1
4.1 Introduction	4-1
4.2 Significant Environmental Effects That Cannot Be Avoided if the Proposed Project Is Implemented	4-1
4.3 Significant Irreversible Environmental Changes That Would Be Caused by the Proposed Project Should It Be Implemented	4-6
4.4 Growth-Inducing Effects.....	4-10
4.5 Urban Decay	4-15
Chapter 5, Project Variants	5-1
5.1 Introduction	5-1
5.2 West Century Boulevard Pedestrian Bridge Variant	5-2
5.3 Alternate Prairie Access Variant	5-12
Chapter 6, Project Alternatives	6-1
6.1 Overview.....	6-1
6.2 Factors in the Selection of Alternatives.....	6-3
6.3 Alternatives Considered but Dismissed from Further Evaluation.....	6-12
6.4 Alternatives Selected for Further Consideration	6-18
6.5 Environmental Evaluation of the Alternatives.....	6-19
6.6 Alternatives Comparison and Environmentally Superior Alternative	6-95
Chapter 7, List of Preparers and Persons Consulted	7-1
7.1 Report Authors.....	7-1
7.2 Persons Consulted	7-7

APPENDICES

Volume 1: Appendix A to Appendix C

- A. Notice of Preparation (NOP)
- B. NOP Comments
- C. Light and Glare

Volume 2: Appendix D.1 to Appendix D.16

- D. Air Quality
 - D.1 Existing On-Site
 - D.2 Existing Off-Site LA Clippers Practice and Athletic Training Facility
and Team Office
 - D.3 IBEC Regional Construction
 - D.4 IBEC Project Operations Summary of Assumptions and CalEEMod
Outputs
 - D.5 IBEC Regional Operations Stationary Source and Delivery Truck
Emissions
 - D.6 IBEC Regional Operations, Non-Event Day Scenario
 - D.7 IBEC Regional Operations, Plaza Event Scenario

- D.8 IBEC Regional Operations, Corporate/Community Event Scenario
- D.9 IBEC Regional Operations, Other Event Scenario
- D.10 IBEC Regional Operations, Family Show Scenario
- D.11 IBEC Regional Operations, 9,500 Attendee Concert Scenario
- D.12 IBEC Regional Operations, 14,500 Attendee Concert Scenario
- D.13 IBEC Regional Operations, Sold Out Attendee Concert Scenario
- D.14 IBEC Regional Operations, Basketball Game Scenario
- D.15 IBEC Regional Operations Emissions, Non-Event Day Scenario with Mitigation Measure 3.2-2(b)
- D.16 IBEC Localized Construction Summary
- Volume 3: Appendix D.17 to Appendix D.19-1 (Part 1)**
 - D. Air Quality (continued)
 - D.17 IBEC Localized Operations Summary
 - D.18 CO Concentrations at Intersections
 - D.19 IBEC Construction Health Risk Assessment Analyses
- Volume 4: Appendix D.19-1 (Part 2) to Appendix D.19-2**
 - D. Air Quality (continued)
 - D.19 IBEC Construction Health Risk Assessment Analyses (continued)
- Volume 5: Appendix D.19-3 to Appendix D.19-4**
 - D. Air Quality (continued)
 - D.19 IBEC Construction Health Risk Assessment Analyses (continued)
- Volume 6: Appendix D.19-5 to Appendix D.19-6 (Part 1)**
 - D. Air Quality (continued)
 - D.19 IBEC Construction Health Risk Assessment Analyses (continued)
- Volume 7: Appendix D.19-6 (Part 2) to Appendix D.20-2 (Part 1)**
 - D. Air Quality (continued)
 - D.19 IBEC Construction Health Risk Assessment Analyses (continued)
 - D.20 IBEC Construction + Operations Cancer Risk and Cancer Burden Analysis
- Volume 8: Appendix D.20-2 (Part 2)**
 - D. Air Quality (continued)
 - D.20 IBEC Construction + Operations Cancer Risk and Cancer Burden Analysis (continued)
- Volume 9: Appendix D.20-3 to Appendix D.20-4**
 - D. Air Quality (continued)
 - D.20 IBEC Construction + Operations Cancer Risk and Cancer Burden Analysis (continued)
- Volume 10: Appendix D.20-5**
 - D. Air Quality (continued)
 - D.20 IBEC Construction + Operations Cancer Risk and Cancer Burden Analysis (continued)
- Volume 11: Appendix D.20-6**
 - D. Air Quality (continued)
 - D.20 IBEC Construction + Operations Cancer Risk and Cancer Burden Analysis (continued)

Volume 12: Appendix D.20-7

- D. Air Quality (continued)
 - D.20 IBEC Construction + Operations Cancer Risk and Cancer Burden Analysis (continued)

Volume 13: Appendix D.20-8 to Appendix D.23

- D. Air Quality (continued)
 - D.20 IBEC Construction + Operations Cancer Risk and Cancer Burden Analysis (continued)
 - D.21 Cumulative CO Concentrations at Intersections
 - D.22 Supplemental Information
 - D.23 Health Impact Assessment of Ozone and PM2.5

Volume 14: Appendix E and Appendix F

- E. Biological Resources
- F. Cultural Resources

Volume 15: Appendix G.1 to Appendix G.2-9.7

- G. Energy and Greenhouse Gas Emissions Data
 - G.1 Energy
 - G.2 Greenhouse Gas

Volume 16: Appendix G.2-9.8 to Appendix G.2-11

- G. Energy and Greenhouse Gas Emissions Data (continued)
 - G.2 Greenhouse Gas (continued)

Volume 17: Appendix H to Appendix J

- H. Geotechnical Report
- I. Paleontological Resources Report
- J. Noise Data

Volume 18: Appendix K.1 and Appendix K.2

- K. Transportation Data
 - K.1 Technical Memoranda
 - K.2 Peak Hour Graphics

Volume 19: Appendix K.3 (Part 1)

- K. Transportation Data (continued)
 - K.3 Technical Calculations

Volume 20: Appendix K.3 (Part 2)

- K. Transportation Data (continued)
 - K.3 Technical Calculations (continued)

Volume 21: Appendix K.3 (Part 3)

- K. Transportation Data (continued)
 - K.3 Technical Calculations (continued)

Volume 22: Appendix K.3 (Part 4)

- K. Transportation Data (continued)
 - K.3 Technical Calculations (continued)

Volume 23: Appendix K.3 (Part 5)

- K. Transportation Data (continued)
- K.3 Technical Calculations (continued)

Volume 24: Appendix K.3 (Part 6)

- K. Transportation Data (continued)
- K.3 Technical Calculations (continued)

Volume 25: Appendix K.3 (Part 7) to Appendix K.5

- K. Transportation Data (continued)
- K.3 Technical Calculations (continued)
- K.4 Event Transportation Management Plan
- K.5 Congestion Management Program (CMP) Analysis

Volume 26: Appendix L to Appendix N

- L. Sewer Area Study Plan
- M. Water Supply Assessment
- N. AB 987/PRC Section 21168.6.8

Volume 27: Appendix O (Part 1)

- O. Hazardous Materials

Volume 28: Appendix O (Part 2)

- O. Hazardous Materials (continued)

Volume 29: Appendix P to Appendix S

- P. Airspace Hazards
- Q. Hydrology Data
- R. Analysis of Future Events
- S. Displacement Study

Figures

Figure S-1	Project Elements.....	S-5
Figure S-2	Conceptual Site Plan	S-7
Figure 2-1	Regional Map.....	2-3
Figure 2-2	Project Elements.....	2-7
Figure 2-3	Existing Uses and Ownership.....	2-8
Figure 2-4	Noise Contours Map.....	2-9
Figure 2-5	General Plan Land Use Designations	2-12
Figure 2-6	Zoning Designations	2-13
Figure 2-7	Conceptual Site Plan	2-19
Figure 2-8	Conceptual Event Level Floor Plan.....	2-23
Figure 2-9	Conceptual Club Level Floor Plan	2-25
Figure 2-10	Conceptual Plaza Level Floor Plan.....	2-27
Figure 2-11	Conceptual Suite Level Floor Plan.....	2-29
Figure 2-12	Conceptual Premium Level Floor Plan	2-31
Figure 2-13	Conceptual Mechanical Level Floor Plan.....	2-33
Figure 2-14	Conceptual Terrace Level Floor Plan	2-35
Figure 2-15	Conceptual Arena Structure Sections.....	2-37
Figure 2-16	Conceptual Rendering of Arena Structure – Aerial View	2-39
Figure 2-17	Conceptual Rendering of Arena Structure – Plaza View	2-40
Figure 2-18	Preliminary Landscaping Plan	2-42

	<u>Page</u>
Figure 2-19	Sound Barrier Locations 2-48
Figure 2-20	Conceptual Sign Locations 2-53
Figure 2-21	Proposed Shuttle Routes 2-59
Figure 2-22	Temporary and Permanent Bus Stop Relocations 2-61
Figure 2-23	Proposed Crosswalk Locations 2-63
Figure 2-24	Bicycle and Electric Vehicle Parking 2-64
Figure 2-25	Project Variants 2-66
Figure 2-26	Conceptual Potable Water Infrastructure 2-69
Figure 2-27	Conceptual Well Transmission Infrastructure 2-71
Figure 2-28	Conceptual Reclaimed Water Infrastructure 2-73
Figure 2-29	Conceptual Wastewater Infrastructure 2-75
Figure 2-30	Conceptual Drainage Infrastructure 2-77
Figure 2-31	Conceptual Dry Utilities Infrastructure 2-81
Figure 2-32	Construction – Lane Closures 2-87
Figure 3.0-1	Approximate Locations of Cumulative Projects 3-19
Figure 3.1-1	Viewpoint Location Map 3.1-16
Figure 3.1-2	Viewpoint 1: View of Proposed Project Site from West Century Boulevard Looking East near South Flower Street, West of the Proposed West Parking Garage Site 3.1-21
Figure 3.1-3	Viewpoint 2: View of Proposed Project Site from the Intersection of South Prairie Avenue and West Century Boulevard Looking South 3.1-23
Figure 3.1-4	Viewpoint 3: View of Proposed Project Site near the Intersection of South Prairie Avenue and West Century Boulevard Looking Southeast into the Proposed Plaza and Arena Structure 3.1-25
Figure 3.1-5	Viewpoint 4: View of Proposed Project Site Facing West on West Century Boulevard near the Intersection with South Doty Avenue 3.1-26
Figure 3.1-6	Viewpoint 5: View of Proposed Project Site Facing Southwest from the Intersection of West Century Boulevard and South Doty Avenue 3.1-28
Figure 3.1-7	Viewpoint 6: View of Proposed Project Site Facing West from West 102nd Street near South Doty Avenue 3.1-29
Figure 3.1-8	Viewpoint 7: View of Proposed Project Site Facing West from West 102nd Street near South Doty Avenue 3.1-31
Figure 3.1-9	Viewpoint 8: View Looking North on South Prairie Avenue near West 103rd Street 3.1-32
Figure 3.1-10	Viewpoint 9: View of Proposed Project Site Looking West on West 102nd Street near the Proposed West Parking Garage Site 3.1-34
Figure 3.1-11	Viewpoint 10: View of Proposed Project Site Looking East on West Century Boulevard toward the East Transportation and Hotel Site 3.1-36
Figure 3.1-12	Viewpoint 11: View of Proposed Project Site Looking West on West Century Boulevard toward the East Transportation and Hotel Site 3.1-37
Figure 3.1-13	Light-Sensitive Receptors 3.1-45
Figure 3.1-14	Summer Solstice Shadows: June 21, 9:00 AM 3.1-54
Figure 3.1-15	Summer Solstice Shadows: June 21, 12:00 PM 3.1-55
Figure 3.1-16	Summer Solstice Shadows: June 21, 3:00 PM 3.1-56
Figure 3.1-17	Winter Solstice Shadows: December 21, 9:00 AM 3.1-57
Figure 3.1-18	Winter Solstice Shadows: December 21, 12:00 PM 3.1-58
Figure 3.1-19	Winter Solstice Shadows: December 21, 3:00 PM 3.1-59
Figure 3.2-1	Boundaries of the South Coast Air Quality Management District 3.2-2
Figure 3.2-2	Air-Sensitive Receptors 3.2-21
Figure 3.2-3	Air Dispersion Modeling Receptor Grid 3.2-51
Figure 3.2-4	Construction + Operations Cancer Risk 3.2-100

	<u>Page</u>
Figure 3.4-1	1937 Kirkman Map..... 3.4-30
Figure 3.5-1	Existing and Proposed Dry Utilities Infrastructure..... 3.5-3
Figure 3.6-1	Regional Fault Locations 3.6-4
Figure 3.8-1	Database Search Results 3.8-9
Figure 3.8-2	Soil Sample Locations 3.8-17
Figure 3.10-1	Existing and Surrounding Land Uses: Arena Site, Well Relocation Site, and West Parking Garage Site 3.10-6
Figure 3.10-2	Existing and Surrounding Land Uses: East Transportation and Hotel Site 3.10-8
Figure 3.10-4	Consolidated Inglewood Merged Redevelopment Project Area..... 3.10-26
Figure 3.11-1	Decibel Scale and Common Noise Sources 3.11-6
Figure 3.11-2	Sensitive Receptors and Noise Monitoring Locations..... 3.11-13
Figure 3.11-3	ALUP Noise Contours..... 3.11-28
Figure 3.11-4	Studied Roadway Segments 3.11-67
Figure 3.11-5	Construction Noise Impacts – Daytime Summary..... 3.11-81
Figure 3.11-6	Construction Noise Impacts – Nighttime Summary..... 3.11-85
Figure 3.11-7	Potential Sleep Disturbance Area – Worst-Case Nighttime Construction 3.11-102
Figure 3.11-8	Significant Traffic Noise Impact Locations – Adjusted Baseline Plus Project Major Event (Weekday Post Event)..... 3.11-127
Figure 3.11-9	Significant Traffic Noise Impacts – Scaled Adjusted Baseline Plus Project Major Event (Weekend Post Event)..... 3.11-128
Figure 3.11-10	Significant Traffic Noise Impact Locations – Adjusted Baseline Plus NFL Stadium Mid-Sized Event Plus Forum Plus Project (Weekday Post Event).... 3.11-130
Figure 3.11-11	Significant Traffic Noise Impacts – Scaled Adjusted Baseline Plus NFL Game Plus Forum Plus Project (Weekend Post Event)..... 3.11-139
Figure 3.11-12	Operational Noise Contours – Non-Event Day 3.11-143
Figure 3.11-13	Operational Noise Contours – Project Daytime Corporate/Community Event 3.11-144
Figure 3.11-14	Operational Noise Contours – Project Other Sporting Event or Gathering 3.11-145
Figure 3.11-15	Operational Noise Contours – Project Major Event Pre Event..... 3.11-149
Figure 3.11-16	Composite Operational Noise Impacts – Project Major Event During Event... 3.11-151
Figure 3.11-17	Operational Noise Contours – Project Major Event Post Event..... 3.11-152
Figure 3.11-18	Composite Operational Noise Impacts – Post Event 3.11-153
Figure 3.11-19	Significant Construction Vibration Impacts 3.11-162
Figure 3.11-20	Significant Cumulative Traffic Noise Impact Locations – Project Major Event (Weekday Pre Event)..... 3.11-206
Figure 3.11-21	Significant Cumulative Traffic Noise Impact Locations – Project Major Event (Weekday Post Event)..... 3.11-211
Figure 3.11-22	Significant Cumulative Traffic Noise Impact Locations – Project Major Event (Weekend Post Event)..... 3.11-213
Figure 3.11-23	Significant Cumulative Traffic Noise Impact Locations – NFL Stadium Mid- Sized Event Plus Forum Plus Project (Weekday Post Event)..... 3.11-219
Figure 3.11-24	Significant Cumulative Traffic Noise Impact Locations – NFL Stadium Mid- Sized Event Plus Forum Plus Project (Weekend Pre Event) 3.11-220
Figure 3.11-25	Significant Cumulative Traffic Noise Impact Locations – NFL Game Plus Forum Plus Project (Weekend Post Event) 3.11-225
Figure 3.13-1	Locations of Emergency Services..... 3.13-3
Figure 3.13-2	Existing and Proposed Water Infrastructure 3.13-7
Figure 3.13-3	Location of IUSD Schools 3.13-51
Figure 3.14-1	Study Intersections and Freeway Network 3.14-13
Figure 3.14-2	Existing Roadway Network 3.14-15
Figure 3.14-3	Neighborhood Street Study Segments 3.14-45
Figure 3.14-4	Existing Transit Services and Facilities..... 3.14-49

	<u>Page</u>
Figure 3.14-5 Existing Pedestrian Facilities	3.14-52
Figure 3.14-6 Trip Distribution - Ancillary Land Uses	3.14-71
Figure 3.14-7 Spatial Distribution of Major Event Attendees	3.14-107
Figure 3.14-8 Inbound Trip Distribution for Major Event	3.14-108
Figure 3.14-9 Outbound Trip Distribution for Major Event	3.14-109
Figure 3.14-10 Pre-Event Peak-Hour Garage Access and Traffic Management in IBEC Vicinity	3.14-111
Figure 3.14-11 Post-Event Peak-Hour Garage Access and Traffic Management in IBEC Vicinity	3.14-112
Figure 3.14-12 Post-Event Peak Pedestrian Volumes (Evening Event).....	3.14-138
Figure 3.14-13 Impacted Intersections: Baseline Plus Daytime Event Weekday PM Peak Hour.....	3.14-196
Figure 3.14-14 Impacted Intersections: Baseline Plus Major Event Weekday Pre-Event Peak Hour.....	3.14-214
Figure 3.14-15 Impacted Intersections: Baseline Plus Major Event Weekday Post-Event Peak Hour.....	3.14-215
Figure 3.14-16 Impacted Intersections: Baseline Plus Major Event Weekend Pre-Event Peak Hour.....	3.14-216
Figure 3.14-17 Intersection Mitigation Measures – Adjusted Baseline Plus Project Major Event Weekday Conditions.....	3.14-217
Figure 3.14-18 Impacted Intersections: Cumulative Plus Daytime Event Weekday PM Peak Hour.....	3.14-260
Figure 3.14-19 Impacted Intersections: Cumulative Plus Major Event Weekday Pre-Event Peak Hour.....	3.14-268
Figure 3.14-20 Impacted Intersections: Cumulative Plus Major Event Weekday Post-Event Peak Hour.....	3.14-269
Figure 3.14-21 Impacted Intersections: Cumulative Plus Major Event Weekend Pre-Event Peak Hour.....	3.14-270
Figure 3.14-22 Intersection Mitigation Measures - Cumulative Plus Project Major Event Weekday Conditions	3.14-271
Figure 3.14-23: Potential Off-site Parking Locations near the Arena Site During Concurrent Events at the NFL Stadium.....	3.14-334
Figure 3.14-24 Impacted Intersections: Baseline (With The Forum) Plus Major Event Weekday Pre-Event Peak Hour	3.14-448
Figure 3.14-25 Impacted Intersections: Baseline (With The Forum) Plus Major Event Weekday Post-Event Peak Hour	3.14-449
Figure 3.14-26 Impacted Intersections: Baseline (With The Forum) Plus Major Event Weekend Pre-Event Peak Hour.....	3.14-450
Figure 3.14-27 Impacted Intersections: Baseline (With Football Game at NFL Stadium) Plus Major Event Weekend Pre-Event Peak Hour.....	3.14-451
Figure 3.14-28 Impacted Intersections: Baseline (With Mid-Sized Event at NFL Stadium) Plus Major Event Weekday Pre-Event Peak Hour	3.14-452
Figure 3.14-29 Impacted Intersections: Baseline (With Mid-Sized Event at NFL Stadium) Plus Major Event Weekday Post-Event Peak Hour	3.14-453
Figure 3.14-30 Impacted Intersections: Baseline (With The Forum and Mid-Sized Event at NFL Stadium) Plus Major Event Weekday Pre-Event Peak Hour.....	3.14-454
Figure 3.14-31 Impacted Intersections: Baseline (With The Forum and Mid-Sized Event at NFL Stadium) Plus Major Event Weekday Post-Event Peak Hour	3.14-455
Figure 3.14-32 Impacted Intersections: Baseline (With The Forum and Football Game at NFL Stadium) Plus Major Event Weekend Pre-Event Peak Hour.....	3.14-456

	<u>Page</u>
Figure 3.14-33 Impacted Intersections: Cumulative (With The Forum) Plus Major Event Weekday Pre-Event Peak Hour	3.14-483
Figure 3.14-34 Impacted Intersections: Cumulative (With The Forum) Plus Major Event Weekday Post-Event Peak Hour	3.14-484
Figure 3.14-35 Impacted Intersections: Cumulative (With The Forum) Plus Major Event Weekend Pre-Event Peak Hour.....	3.14-485
Figure 3.14-36 Impacted Intersections: Cumulative (With Football Game at NFL Stadium) Plus Major Event Weekend Pre-Event Peak Hour.....	3.14-486
Figure 3.14-37 Impacted Intersections: Cumulative (With Mid-Sized Event at NFL Stadium) Plus Major Event Weekday Pre-Event Peak Hour.....	3.14-487
Figure 3.14-38 Impacted Intersections: Cumulative (With Mid-Sized Event at NFL Stadium) Plus Major Event Weekday Post-Event Peak Hour	3.14-488
Figure 3.14-39 Impacted Intersections: Cumulative (With The Forum and Mid-Sized Event at NFL Stadium) Plus Major Event Weekday Pre-Event Peak Hour	3.14-489
Figure 3.14-40 Impacted Intersections: Cumulative (With The Forum and Mid-Sized Event at NFL Stadium) Plus Major Event Weekday Post-Event Peak Hour	3.14-490
Figure 3.14-41 Impacted Intersections: Cumulative (With The Forum and Football Game at NFL Stadium) Plus Major Event Weekend Pre-Event Peak Hour.....	3.14-491
Figure 5-1 West Century Pedestrian Bridge Variant	5-3
Figure 5-2 Alternate Prairie Avenue Access Variant	5-14
Figure 6-1 Alternative Locations	6-21
Figure 6-2 Alternative 3: City Services Center Alternative Site	6-32
Figure 6-3 Alternative 4: Baldwin Hills Alternative Site	6-44
Figure 6-4 Alternative 5: The District at South Bay Alternative Site	6-56
Figure 6-5 Alternative 6: Hollywood Park Specific Plan Alternative Site	6-69
Figure 6-6 Alternative 7: Forum Alternative Site	6-81

Tables

Table S-1	IBEC Proposed Uses.....	S-4
Table S-2	Summary of Impacts and Mitigation Measures	S-53
Table 1-1	Responsible and Trustee Agencies Contacted During Preparation of the Draft EIR.....	1-8
Table 2-1	Project Site and Existing Development.....	2-14
Table 2-2	Proposed Uses	2-18
Table 2-3	Anticipated Annual Event Characteristics	2-50
Table 2-4	Existing and Future Non-Event Employees	2-51
Table 2-5	Anticipated Construction Phasing.....	2-83
Table 3.0-1	HPSP Adjusted Baseline Projects	3-10
Table 3.0-2	Cumulative Projects List	3-13
Table 3.0-3	Cumulative Projects List Development Summary.....	3-20
Table 3.2-1	South Coast Air Basin Attainment Status (Los Angeles County)	3.2-13
Table 3.2-2	Ambient Air Quality in the Project Vicinity	3.2-14
Table 3.2-3	Existing Project Site Emissions (pounds per day).....	3.2-18
Table 3.2-4	Existing Off-Site Uses Relocating to Project Site (pounds per day).....	3.2-19
Table 3.2-5	Ambient Air Quality Standards.....	3.2-23
Table 3.2-6	Modeled Construction Schedule.....	3.2-39
Table 3.2-7	Modeled Construction and Operational Scenarios	3.2-49
Table 3.2-8	General Air Dispersion Modeling Assumptions for Localized Air Quality Assessment	3.2-50

	<u>Page</u>
Table 3.2-9	Emission Source Assumptions for Localized Construction Assessment..... 3.2-52
Table 3.2-10	Emission Source Assumptions for Localized Operational Assessment 3.2-53
Table 3.2-11	Cancer Risk Exposure Parameters..... 3.2-59
Table 3.2-12	MSAT Cancer Potency Factors 3.2-60
Table 3.2-13	MSAT Reference Exposure Levels..... 3.2-61
Table 3.2-14	Maximum Regional Construction Emissions (pounds per day)..... 3.2-75
Table 3.2-15	Maximum Regional Operational Emissions – Non-Event Day (Ancillary Uses Only) Scenario (2024) (pounds per day)..... 3.2-77
Table 3.2-16	Maximum Regional Operational Emissions – Plaza Event Scenario (2024) (pounds per day)..... 3.2-77
Table 3.2-17	Maximum Regional Operational Emissions – Corporate/Community Event Scenario (2024) (pounds per day) 3.2-78
Table 3.2-18	Maximum Regional Operational Emissions – Other Event Scenario (2024) (pounds per day)..... 3.2-78
Table 3.2-19	Maximum Regional Operational Emissions – Family Show Scenario (2024) (pounds per day)..... 3.2-79
Table 3.2-20	Maximum Regional Operational Emissions – 9,500 Attendee Concert Scenario (2024) (pounds per day) 3.2-79
Table 3.2-21	Maximum Regional Operational Emissions – 14,500 Attendee Concert Scenario (2024) (pounds per day) 3.2-80
Table 3.2-22	Maximum Regional Operational Emissions – Sold out Attendee Concert Scenario (2024) (pounds per day) 3.2-80
Table 3.2-23	Maximum Regional Operational Emissions – Basketball Game Scenario (2024) (pounds per day) 3.2-81
Table 3.2-24	Maximum Regional Operational Emissions – Non-Event Day with Mitigation Measure 3.2-2(b) (Ancillary Uses Only) Scenario (2024) (pounds per day) 3.2-91
Table 3.2-25	Assessment of Localized PM Emissions During Construction 3.2-92
Table 3.2-26	Assessment of Localized NO ₂ and CO Impacts during Construction..... 3.2-93
Table 3.2-27	Assessment of Localized PM Emissions During Operation 3.2-94
Table 3.2-28	Assessment of Localized NO ₂ and CO Impacts during Operation 3.2-95
Table 3.2-29	Traffic Intersections Level of Service 3.2-96
Table 3.2-30	Carbon Monoxide Concentrations at Intersections 3.2-97
Table 3.2-31	Estimated Cancer Risk, Exposure Duration Starting from Beginning of Project Construction 3.2-99
Table 3.2-32	Maximum Chronic Non-carcinogenic Health Risk during Construction 3.2-101
Table 3.2-33	Maximum Acute Non-carcinogenic Health Risk during Construction 3.2-102
Table 3.2-34	Maximum Chronic Non-carcinogenic Health Risk during Operation 3.2-102
Table 3.2-35	Maximum Acute Non-carcinogenic Health Risk during Operation 3.2-102
Table 3.2-36	Cancer Burden, 70-Year Exposure Duration 3.2-103
Table 3.2-37	Cumulative Traffic Intersections Level of Service 3.2-108
Table 3.2-38	Cumulative Carbon Monoxide Concentrations at Intersections 3.2-109
Table 3.5-1	Existing Annual Regional Energy Use 3.5-2
Table 3.5-2	Estimated Existing Energy Consumption 3.5-8
Table 3.5-3	Net Energy Use During Project Construction 3.5-26
Table 3.5-4	Annual Energy Use During Project Operation 3.5-29
Table 3.7-1	State of California Greenhouse Gas Emissions..... 3.7-8
Table 3.7-2	City of Inglewood GHG Emissions by Sector: 2005 to 2010 (MTCO _{2e})..... 3.7-9
Table 3.7-3	City of Inglewood Community GHG Emissions by Sector: Existing and Forecasted (MTCO _{2e}) 3.7-27
Table 3.7-4	Inglewood Basketball & Entertainment Center Anticipated Annual Event Characteristics 3.7-33

	<u>Page</u>
Table 3.7-5	Emission Factors Over Time 3.7-37
Table 3.7-6	Existing Conditions (2018) – Total Annual GHG Emissions By Source and Category (MTCO ₂ e)..... 3.7-49
Table 3.7-7	Annual Construction GHG Emissions 3.7-50
Table 3.7-8	Annual Operational GHG Emissions at First Full Year of Operations (2025)..... 3.7-51
Table 3.7-9	Proposed Project Total Net New GHG Emissions (MT CO ₂ e/year) 3.7-51
Table 3.7-10	Summary of Potential GHG Emissions Reductions from On-Site GHG Reduction Measures 3.7-60
Table 3.8-1	Federal Laws and Regulations Related to Hazards and Hazardous Materials Management..... 3.8-21
Table 3.9-1	WCGB Historical Well Production (AFY) 3.9-6
Table 3.9-2	Water Well #6 Historical Well Production (AFY) 3.9-6
Table 3.9-3	Central Basin Historical Well Production (AFY) 3.9-8
Table 3.9-4	FEMA Flood Zone Designations 3.9-9
Table 3.9-5	Local Waterbodies Exceeding Water Quality Standards 3.9-10
Table 3.9-6	Beneficial Uses Listed for Surface Waters within the Dominguez Channel Watershed 3.9-11
Table 3.9-7	Stormwater Runoff Flows With and Without Drainage Infrastructure 3.9-30
Table 3.11-1	Ambient Noise Measurements 3.11-19
Table 3.11-2	Existing Calculated Traffic Noise Levels 3.11-23
Table 3.11-3	Adjusted Baseline Traffic Noise Levels 3.11-33
Table 3.11-4	Adjusted Baseline Plus NFL Game Traffic Noise Levels 3.11-38
Table 3.11-5	Adjusted Baseline Plus Concert at Forum Traffic Noise Levels 3.11-43
Table 3.11-6	Adjusted Baseline Plus NFL Game and Concert at Forum Traffic Noise Levels 3.11-48
Table 3.11-7	Noise Levels Requisite to Protect Public Health and Welfare with an Adequate Margin of Safety 3.11-53
Table 3.11-8	General Plan Noise Element Noise/Land Use Compatibility Matrix 3.11-57
Table 3.11-9	Construction Equipment Reference Noise Levels 3.11-62
Table 3.11-10	Traffic Noise Analysis scenarios 3.11-69
Table 3.11-11	Operational Noise Sources 3.11-70
Table 3.11-12	Construction Vibration Damage Criteria 3.11-75
Table 3.11-13	Groundborne Vibration Impact Criteria for General Assessment 3.11-76
Table 3.11-14	Vibration Source Levels for Construction Equipment 3.11-77
Table 3.11-15	Estimate of Unmitigated Maximum Daytime Construction Noise Levels (Leq) at Existing Off-Site Sensitive-Receptor Locations 3.11-80
Table 3.11-16	Estimate of Unmitigated Nighttime Construction Noise Levels (Leq) at Existing Off-Site Sensitive-Receptor Locations 3.11-87
Table 3.11-17	Haul Route Adjusted Baseline Average Daily Traffic Volumes 3.11-99
Table 3.11-18	Adjusted Baseline Plus Project Non-Event Day 3.11-107
Table 3.11-19	Adjusted Baseline Plus Project Day-Time Corporate/Community Event 3.11-111
Table 3.11-20	Adjusted Baseline Plus Project Other Sporting Event or Gathering 3.11-116
Table 3.11-21	Adjusted Baseline Plus Project Major Event 3.11-121
Table 3.11-22	Adjusted Baseline Plus Stadium Mid-Sized Event Plus Forum Plus Project... 3.11-131
Table 3.11-23	Adjusted Baseline Plus NFL Game Plus Concert at Forum Plus Project 3.11-135
Table 3.11-24	Composite Project Operational Noise 3.11-141
Table 3.11-25	Composite Project Operational Noise – Major Event 3.11-147
Table 3.11-26	Groundborne Construction Vibration Levels – Arena Site 3.11-158
Table 3.11-27	Groundborne Construction Vibration Levels – West Parking Garage Site 3.11-164
Table 3.11-28	Groundborne Construction Vibration Levels – East Transportation and Hotel Site (Transportation Hub) 3.11-169

	<u>Page</u>
Table 3.11-29 Groundborne Construction Vibration Levels – East Transportation and Hotel Site (Hotel).....	3.11-173
Table 3.11-30 Groundborne Construction Vibration Levels – Well Relocation Site	3.11-177
Table 3.11-31 Cumulative Plus Project Non-Event Day	3.11-191
Table 3.11-32 Cumulative Plus Project Day-Time Corporate/Community Event	3.11-195
Table 3.11-33 Cumulative Plus Project Other Sporting Event or Gathering	3.11-201
Table 3.11-34 Cumulative Plus Project Major Event.....	3.11-207
Table 3.11-35 Cumulative Plus Stadium Mid-Sized Event Plus Forum Plus Project	3.11-215
Table 3.11-36 Cumulative Plus NFL Game Plus Forum Plus Project.....	3.11-221
Table 3.12-1 Trends in Population Growth for the City of Inglewood and SCAG Region (1990–2040)	3.12-2
Table 3.12-2 Housing Units, Households, and Household Size in Inglewood and SCAG Region (1990–2040).....	3.12-4
Table 3.12-3 Trends in Employment Growth in the Inglewood and SCAG Region	3.12-5
Table 3.12-4 Estimated Existing Project Site Employment	3.12-6
Table 3.12-5 HPSP Adjusted Baseline Projects Population, Employment, and Housing Characteristics	3.12-7
Table 3.12-6 HPSP Adjusted Baseline Conditions	3.12-7
Table 3.12-7 Inglewood Regional Housing Needs Assessment (2013–2021)	3.12-9
Table 3.12-8 Proposed IBEC Event Employment Full-Time Equivalency.....	3.12-13
Table 3.12-9 Cumulative Increases in Population and Employment.....	3.12-18
Table 3.13-1 LACFD Fire Stations Located in the Project Vicinity.....	3.13-4
Table 3.13-2 Cumulative Projects within the LACFD Service Area of Fire Stations 170, 18, and 173.....	3.13-20
Table 3.13-3 Inglewood Police Department Annual Crime Statistics (2017).....	3.13-29
Table 3.13-4 IBEC Parkland Analysis.....	3.13-38
Table 3.13-5 School Facilities Capacity and Student Enrollment 2017–2018.....	3.13-53
Table 3.13-6 Student Generation in HPSP Adjusted Baseline Projects.....	3.13-54
Table 3.13-7 School Facilities Capacity and Student Enrollment – Adjusted Baseline	3.13-55
Table 3.13-8 IUSD Developer Fees (2018)	3.13-58
Table 3.13-9 Estimated Number of Students Generated by the Proposed Project.....	3.13-63
Table 3.13-10 Adjusted Baseline Environmental Setting School Facilities Capacity and Student Enrollment with Project.....	3.13-64
Table 3.13-11 Estimated Number of Students Generated by Cumulative Development	3.13-65
Table 3.13-12 School Facilities Capacity and Student Enrollment with Project Plus Cumulative Development.....	3.13-68
Table 3.14-1 Definitions of Time Periods Used in Transportation Impact Analysis.....	3.14-5
Table 3.14-2 Overview of Common Event Types, Frequency, and Timing at Project, NFL Stadium, and The Forum.....	3.14-7
Table 3.14-3 Proposed Project Transportation Impact Analysis Scenarios	3.14-8
Table 3.14-4 Intersection Analysis Methods	3.14-17
Table 3.14-5 Intersection Level of Service Definitions Using ICU/CMA Methods	3.14-18
Table 3.14-6 Intersection Level of Service Definitions Using HCM Methods	3.14-18
Table 3.14-7 Intersection Operations – Existing Weekday AM and PM Peak Hour Conditions.....	3.14-20
Table 3.14-8 Intersection Operations – Existing Pre-Event and Post-Event Peak Hour Conditions.....	3.14-23
Table 3.14-9 Freeway Operations – Existing Conditions	3.14-36
Table 3.14-10 Freeway Off-Ramp Queuing Analysis – Existing Weekday AM and PM Peak Hours Conditions	3.14-44

	<u>Page</u>
Table 3.14-11 Freeway Off-Ramp Queuing Analysis – Existing Weekday and Weekend Pre-Event Peak Hour Conditions.....	3.14-46
Table 3.14-12 Neighborhood Street Segment Traffic Volumes – Existing Conditions	3.14-47
Table 3.14-13 Background Roadway Network Improvements – Adjusted Baseline Conditions.....	3.14-55
Table 3.14-14 Project Ancillary Land Uses Trip Generation	3.14-69
Table 3.14-15 Intersection Operations – Adjusted Baseline Plus Project (Ancillary Land Uses) Conditions	3.14-72
Table 3.14-16 Neighborhood Street Segment Traffic Volumes – Adjusted Baseline Plus Project (Ancillary Land Uses) Conditions.....	3.14-75
Table 3.14-17 Freeway Operations – Adjusted Baseline Plus Project (Ancillary Land Uses) Conditions.....	3.14-76
Table 3.14-18 Freeway Off-Ramp Queuing Analysis – Adjusted Baseline Plus Project (Ancillary Land Uses) Conditions.....	3.14-79
Table 3.14-19 Project Daytime Event Trip Generation – Weekday AM Peak Hour	3.14-81
Table 3.14-20 Project Daytime Event Trip Generation – Weekday PM Peak Hour	3.14-81
Table 3.14-21 Project Daytime Event Trip Generation – Daily Conditions.....	3.14-82
Table 3.14-22a Weekday AM Peak Hour Intersection Operations – Adjusted Baseline Plus Project (Daytime Events) Conditions	3.14-82
Table 3.14-22b Weekday PM Peak Hour Intersection Operations – Adjusted Baseline Plus Project (Daytime Events) Conditions	3.14-85
Table 3.14-23 Neighborhood Street Segment Traffic Volumes – Adjusted Baseline Plus Project (Daytime Events) Conditions	3.14-92
Table 3.14-24 Freeway Operations – Adjusted Baseline Plus Project (Daytime Events) Conditions.....	3.14-93
Table 3.14-25 Freeway Off-Ramp Queuing Analysis – Adjusted Baseline Plus Project (Daytime Event) Conditions	3.14-99
Table 3.14-26 Proposed Project Major Event Attendee Mode Split.....	3.14-101
Table 3.14-27 Project Weekday Evening Event Trip Generation – Pre-Event Peak Hour for NBA Basketball Game.....	3.14-102
Table 3.14-28 Project Weekday Evening Event Trip Generation – Post-Event Peak Hour for Concert.....	3.14-102
Table 3.14-29 Project Weekend Evening Event Trip Generation – Pre-Event Peak Hour for NBA Basketball Game.....	3.14-103
Table 3.14-30 Project Evening Event Trip Generation – Daily Conditions for NBA Basketball Games and Concerts	3.14-103
Table 3.14-31 Intersection Operations – Adjusted Baseline Plus Project (Major Event) Conditions.....	3.14-114
Table 3.14-32 Neighborhood Street Segment Traffic Volumes – Adjusted Baseline Plus Project (Major Event) Conditions	3.14-125
Table 3.14-33 Freeway Operations – Adjusted Baseline Plus Project (Major Event) Conditions.....	3.14-127
Table 3.14-34 Freeway Off-Ramp Queuing Analysis – Adjusted Baseline Plus Project (Major Event) Pre-Event Peak Hour Conditions	3.14-132
Table 3.14-35 Directionality of Light Rail Riders – Adjusted Baseline Plus Project (Major Event) Conditions	3.14-134
Table 3.14-36 Adjusted Baseline Plus Project (Major Event) Light-Rail Transit Load – Pre-Event Peak Hour Conditions.....	3.14-134
Table 3.14-37 Adjusted Baseline Plus Project (Major Event) Light Rail Transit Load – Weekday Post-Event Peak Hour Conditions	3.14-135

	<u>Page</u>
Table 3.14-38 Sidewalk Facility Analysis – Baseline Plus Project Post-Event Peak Hour (18,500-Person Concert)	3.14-137
Table 3.14-39 Crosswalk Facility Analysis – Baseline Plus Project Post-Event Peak Hour (18,500-Person Concert)	3.14-139
Table 3.14-40 Weekday VMT Generated by Ancillary Land Uses	3.14-141
Table 3.14-41 VMT Generated by Daytime Events	3.14-141
Table 3.14-42 VMT Generated by Major Events.....	3.14-142
Table 3.14-43 Net Change in VMT Caused by Proposed Project Major Events	3.14-142
Table 3.14-44 Intersection Operations – Cumulative Plus Project (Ancillary Land uses) Conditions.....	3.14-149
Table 3.14-45 Neighborhood Street Segment Traffic Volumes – Cumulative Plus Project (Ancillary Land Uses) Conditions.....	3.14-152
Table 3.14-46 Freeway Operations – Cumulative Plus Project (Ancillary Land Uses) Conditions.....	3.14-153
Table 3.14-47 Freeway Off-Ramp Queuing Analysis – Cumulative Plus Project (Ancillary Land Uses) Conditions	3.14-157
Table 3.14-48a Weekday AM Peak Hour Intersection Operations – Cumulative Plus Project (Daytime Events) Conditions	3.14-157
Table 3.14-48b Weekday PM Peak Hour Intersection Operations – Cumulative Plus Project (Daytime Events) Conditions	3.14-160
Table 3.14-49 Neighborhood Street Segment Traffic Volumes – Cumulative Plus Project (Daytime Events) Conditions	3.14-166
Table 3.14-50 Freeway Operations – Cumulative Plus Project (Daytime Events) Conditions.....	3.14-167
Table 3.14-51 Freeway Off-Ramp Queuing Analysis – Cumulative Plus Project (Daytime Event) Conditions	3.14-170
Table 3.14-52 Intersection Operations – Cumulative Plus Project (Major Event) Conditions	3.14-172
Table 3.14-53 Neighborhood Street Segment Traffic Volumes – Cumulative Plus Project (Major Event) Conditions	3.14-182
Table 3.14-54 Freeway Operations – Cumulative Plus Project (Major Event) Conditions	3.14-183
Table 3.14-55 Freeway Off-Ramp Queuing Analysis – Cumulative Plus Project (Major Event) Pre-Event Peak Hour Conditions.....	3.14-187
Table 3.14-56 Directionality of Light Rail Riders – Cumulative Plus Project (Major Event) Conditions.....	3.14-189
Table 3.14-57 Cumulative Plus Project (Major Event) Light Rail Transit Load – Pre-Event Peak Hour Conditions.....	3.14-189
Table 3.14-58 Cumulative Plus Project (Major Event) Light Rail Transit Load – Weekday Post-Event Peak Hour Conditions	3.14-190
Table 3.14-59 Intersection Operations – Adjusted Baseline Plus Project (Daytime Event) with Mitigation Conditions	3.14-209
Table 3.14-60 Intersection Operations – Adjusted Baseline Plus Project (Major Event) with Mitigation Conditions	3.14-222
Table 3.14-61 Intersection Operations – Cumulative Plus Project (Ancillary) With Mitigation Conditions	3.14-258
Table 3.14-62 Intersection Operations – Cumulative Plus Project (Daytime Event) With Mitigation Conditions	3.14-263
Table 3.14-63 Intersection Operations – Cumulative Plus Project (Major Event) With Mitigation Conditions	3.14-274
Table 3.14-64 Intersection Operations – Adjusted Baseline (with The Forum) Plus Project (Major Event) Conditions	3.14-304

	<u>Page</u>
Table 3.14-65 Freeway Operations – Adjusted Baseline (with The Forum) Plus Project (Major Event) Conditions	3.14-316
Table 3.14-66 Freeway Off-Ramp Queuing Analysis – Adjusted Baseline (with The Forum) Plus Project (Major Event) Pre-Event Peak Hour Conditions	3.14-321
Table 3.14-67 Intersection Operations – Adjusted Baseline (With Football Game at NFL Stadium) Plus Project (Major Event) Conditions	3.14-324
Table 3.14-68 Freeway Operations – Adjusted Baseline (with NFL Football Game) Plus Project (Major Event) Conditions	3.14-330
Table 3.14-69 Freeway Off-Ramp Queuing Analysis – Adjusted Baseline (with NFL Football Game) Plus Project (Major Event) Pre-Event Peak Hour Conditions	3.14-333
Table 3.14-70 Intersection Operations – Adjusted Baseline (with Midsize NFL Stadium Event) Plus Project (Major Event) Conditions	3.14-336
Table 3.14-71 Freeway Operations – Adjusted Baseline (with Midsize Event at NFL Stadium) Plus Project (Major Event) Conditions	3.14-345
Table 3.14-72 Freeway Off-Ramp Queuing Analysis – Adjusted Baseline (with Midsize NFL Stadium Event) Plus Project (Major Event) Pre-Event Peak Hour Conditions	3.14-349
Table 3.14-73 Intersection Operations – Adjusted Baseline (with The Forum and Midsize NFL Stadium Event) Plus Project (Major Event) Conditions	3.14-350
Table 3.14-74 Freeway Operations – Adjusted Baseline (with The Forum and Midsize Event at NFL Stadium) Plus Project (Major Event) Conditions	3.14-358
Table 3.14-75 Freeway Off-Ramp Queuing Analysis – Adjusted Baseline (with The Forum and Midsize NFL Stadium Event) Plus Project (Major Event) Weekday Pre-Event Peak Hour Conditions	3.14-362
Table 3.14-76 Intersection Operations – Adjusted Baseline (with The Forum and Football Game at NFL Stadium) Plus Project (Major Event) Conditions	3.14-363
Table 3.14-77 Freeway Operations – Adjusted Baseline (with The Forum and NFL Football Game) Plus Project (Major Event) Conditions	3.14-371
Table 3.14-78 Freeway Off-Ramp Queuing Analysis – Adjusted Baseline (with The Forum and Football Game at NFL Stadium) Plus Project (Major Event) Pre-Event Peak Hour Conditions	3.14-374
Table 3.14-79 Summary of Proposed Project (Major Event) Significant Roadway Impacts for Concurrent Scenarios under Adjusted Baseline Conditions	3.14-376
Table 3.14-80 Summary of Number of Study Intersections Projected to Operate at LOS F for Major Event Concurrent Scenarios under Adjusted Baseline Conditions ..	3.14-376
Table 3.14-81 Intersection Operations – Cumulative (with The Forum) Plus Project (Major Event) Conditions	3.14-378
Table 3.14-82 Freeway Operations – Cumulative (with The Forum) Plus Project (Major Event) Conditions	3.14-388
Table 3.14-83 Freeway Off-Ramp Queuing Analysis – Cumulative (with The Forum) Plus Project (Major Event) Pre-Event Peak Hour Conditions	3.14-392
Table 3.14-84 Intersection Operations – Cumulative (with Football Game at NFL Stadium) Plus Project (Major Event) Conditions	3.14-394
Table 3.14-85 Freeway Operations – Cumulative (with NFL Football Game) Plus Project (Major Event) Conditions	3.14-401
Table 3.14-86 Freeway Off-Ramp Queuing Analysis – Cumulative (with NFL Football Game) Plus Project (Major Event) Pre-Event Peak Hour Conditions	3.14-404
Table 3.14-87 Intersection Operations – Cumulative (with Midsize NFL Stadium Event) Plus Project (Major Event) Conditions	3.14-406

	<u>Page</u>
Table 3.14-88 Freeway Operations – Cumulative (with Midsize Event at NFL Stadium) Plus Project (Major Event) Conditions	3.14-414
Table 3.14-89 Freeway Off-Ramp Queuing Analysis – Cumulative (with Midsize NFL Stadium Event) Plus Project (Major Event) Pre-Event Peak Hour Conditions	3.14-418
Table 3.14-90 Intersection Operations – Cumulative (with The Forum and Midsize NFL Stadium Event) Plus Project (Major Event) Conditions	3.14-419
Table 3.14-91 Freeway Operations – Cumulative (with The Forum and Midsize Event at NFL Stadium) Plus Project (Major Event) Conditions	3.14-427
Table 3.14-92 Freeway Off-Ramp Queuing Analysis – Cumulative (with The Forum and Mid-Size Event at NFL Stadium) Plus Project (Major Event) Conditions	3.14-431
Table 3.14-93 Intersection Operations – Cumulative (with The Forum and Football Game at NFL Stadium) Plus Project (Major Event) Conditions	3.14-432
Table 3.14-94 Freeway Operations – Cumulative (with The Forum and NFL Football Game) Plus Project (Major Event) Conditions	3.14-440
Table 3.14-95 Freeway Off-Ramp Queuing Analysis – Cumulative (with The Forum and Football Game at NFL Stadium) Plus Project (Major Event) Pre-Event Peak Hour Conditions	3.14-443
Table 3.14-96 Summary of Proposed Project (Major Event) Significant Roadway Impacts for Concurrent Scenarios under Cumulative Conditions	3.14-444
Table 3.14-97 Summary of Number of Study Intersections Projected to Operate at LOS F for Major Event Concurrent Scenarios under Cumulative Conditions	3.14-446
Table 3.14-98 Intersection Operations – Adjusted Baseline (with The Forum) Plus Project (Major Event) With Mitigation Conditions	3.14-459
Table 3.14-99 Intersection Operations – Cumulative (with The Forum) Plus Project (Major Event) With Mitigation Conditions	3.14-493
Table 3.15-1 Historical Water Supply All Sources (AFY)	3.15-2
Table 3.15-2 Historical Groundwater Supply by Aquifer (AFY)	3.15-3
Table 3.15-3 Demands for Potable and Raw Water within GSWC Southwest System by Use Category	3.15-12
Table 3.15-4 Historical Water Demand by Water Use Sectors (AFY)	3.15-13
Table 3.15-5 Metropolitan Integrated Water Resources Plan Supply Sufficiency	3.15-31
Table 3.15-6 GSWC Southwest System Service Area – Population Projections	3.15-34
Table 3.15-7 Summary of Stetson Engineers Water Demands Analysis	3.15-39
Table 3.15-8 Confirmation of Proposed Project Water Demand	3.15-41
Table 3.15-9 GSWC Actual and Projected Water Demand by Water Use Sector (AFY)	3.15-42
Table 3.15-10 GSWC Historical and Projected Water Supply Sources (AFY)	3.15-43
Table 3.15-11 Single-Dry-Year Supply and Demand Comparison (AFY)	3.15-46
Table 3.15-12 Multiple-Dry-Year Supply and Demand Comparison (AFY)	3.15-46
Table 3.15-13 Estimated Existing Wastewater Generation at the Project Site	3.15-50
Table 3.15-14 Estimated Hollywood Park Specific Plan Wastewater Generation	3.15-51
Table 3.15-15 Estimated Proposed Project Wastewater Generation and Sewer Capacity Summary	3.15-56
Table 3.15-16 Estimated Cumulative Wastewater Generation	3.15-60
Table 3.15-17 Post-development Conditions and BMP Sufficiency Summary	3.15-72
Table 3.15-18 HPSP Solid Waste Generation Estimates	3.15-75
Table 3.15-19 Existing and Proposed Solid Waste Generation	3.15-78
Table 3.15-20 Solid Waste Generation During Demolition of Existing Uses	3.15-79
Table 3.15-21 Estimated Cumulative Solid Waste Generation	3.15-82
Table 4-1 Indirect and Induced Employment	4-14
Table 4-2 Proposed Project New-to-Market Events by Type	4-21

	<u>Page</u>
Table 6-1 Project Alternatives Summary	6-20
Table 6-2 Project Alternatives Significant Impact Comparison	6-98

This page intentionally left blank